

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 24.07.2025

Version number 1

Revision: 24.07.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· **1.1 Product identifier**

· **Trade name:** HYDROCARBON 2

· **Article number:** G07-013

· **UFI:** 5060-COSR-T00E-YCQ9

· **1.2 Relevant identified uses of the substance or mixture and uses advised against**

· **Life cycle stages** PW Widespread use by professional workers

· **Product category** PC35 Washing and cleaning products (including solvent based products)

· **Application of the substance / the mixture** Spotting agent for industrial laundry

· **Uses advised against** Any use other than those identified is not recommended.

· **1.3 Details of the supplier of the safety data sheet**

· **Manufacturer/Supplier:**

G.B.M. Elettrochimica s.r.l.

via Fiumicino S. Mauro 120/130 - 47039 Savignano sul Rubicone (FC)

tel. 0541/930058 - Fax 0541/810218

www.gbmprodottichimici.it - E-mail gbm@prodottichimici.it

· **Further information obtainable from:** info@gbmprodottichimici.it

· **1.4 Emergency telephone number:** G.B.M. Elettrochimica srl - Tel. +39 0541 930058 (office hours)

SECTION 2: Hazards identification

· **2.1 Classification of the substance or mixture**

· **Classification according to Regulation (EC) No 1272/2008**



GHS05 corrosion

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

Skin Irrit. 2 H315 Causes skin irritation.

· **2.2 Label elements**

· **Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the CLP regulation.

· **Hazard pictograms**



GHS05



GHS07

· **Signal word** Danger

· **Hazard-determining components of labelling:**

Alcoli, C12-13 ramificati e lineari, etossilati

2-butoxyethanol

diethylhexyl sodium sulfosuccinate

potassium hydroxide

· **Hazard statements**

H302 Harmful if swallowed.

(Contd. on page 2)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 24.07.2025

Version number 1

Revision: 24.07.2025

Trade name: HYDROCARBON 2

(Contd. of page 1)

H315 Causes skin irritation.

H318 Causes serious eye damage.

Precautionary statements

P280 Wear protective gloves / eye protection / face protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P312 Call a POISON CENTER/doctor if you feel unwell.

P404 Store in a closed container.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Additional information:**Regulation (EC) No 648/2004 on detergents / Indication of content**

non-ionic surfactants	≥15 - <30%
aliphatic hydrocarbons	≥5 - <15%
anionic surfactants	<5%

2.3 Other hazards**Results of PBT and vPvB assessment****PBT:**

According to the available data, the product does not contain any PBT substances in a proportion ≥ 0.1%.

vPvB: According to the available data, the product does not contain vPvB substances in a proportion ≥ 0.1%.**Determination of endocrine-disrupting properties**

The substance/mixture does not contain components considered to have endocrine disrupting properties according to Article 57(f) of REACH or Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or more;

SECTION 3: Composition/information on ingredients

3.2 Mixtures**Description:** Mixture of substances listed below with nonhazardous additions.**Dangerous components:**

CAS: 160901-19-9	Alcoli, C12-13 ramificati e lineari, etossilati ☠ Eye Dam. 1, H318; ⚠ Acute Tox. 4, H302 ATE: LD50 oral: 500 mg/kg	15-25%
CAS: 111-76-2 EINECS: 203-905-0 Index number: 603-014-00-0 Reg.nr.: 01-2119475108-36-xxxx	2-butoxyethanol ☠ Acute Tox. 3, H331; ⚠ Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319 ATE: LD50 oral: 1,200 mg/kg LC50/4 h inhalative: 3 mg/l	5-15%
CAS: 90622-57-4 EINECS: 292-459-0	C9-12-Iso-alkanes 🔥 Flam. Liq. 3, H226; ☠ Asp. Tox. 1, H304	5-15%
CAS: 577-11-7 EINECS: 209-406-4 Reg.nr.: 01-2119491296-29-	diethylhexyl sodium sulfosuccinate ☠ Eye Dam. 1, H318; ⚠ Skin Irrit. 2, H315	2-5%
CAS: 1310-58-3 EINECS: 215-181-3 Index number: 019-002-00-8 Reg.nr.: 01-2119487136-33-XXXX	potassium hydroxide ☠ Skin Corr. 1A, H314; ⚠ Acute Tox. 4, H302 ATE: LD50 oral: 333 mg/kg Specific concentration limits: Skin Corr. 1A; H314: C ≥ 5 % Skin Corr. 1B; H314: 2 % ≤ C < 5 % Skin Irrit. 2; H315: 0.5 % ≤ C < 2 % Eye Irrit. 2; H319: 0.5 % ≤ C < 2 %	1-2%

(Contd. on page 3)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 24.07.2025

Version number 1

Revision: 24.07.2025

Trade name: HYDROCARBON 2

(Contd. of page 2)

CAS: 1336-21-6


EINECS: 215-647-6

Index number: 007-001-01-2

Reg.nr.: 01-2119488876-14-0006

ammonia

 Skin Corr. 1B, H314;  Aquatic Acute 1, H400 (M=1);

 STOT SE 3, H335

0.1-<1%

· **Additional information:** For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· General information:

Rescue workers must wear the protective equipment described in section 8.2 of this safety data sheet.

· **IF INHALATED:** In case of unconsciousness place patient stably in side position for transportation.

· **After skin contact:** Immediately wash with water and soap and rinse thoroughly.

· **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

If ingested do not induce vomiting, seek medical assistance showing the safety data sheet or the hazard label

· 4.2 Most important symptoms and effects, both acute and delayed

Eyes: corrosive, corneal damage, irritation

Skin: irritation

· 4.3 Indication of any immediate medical attention and special treatment needed

If any symptoms appear and/or if in doubt, contact a physician and provide this MSDS.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

· **Suitable extinguishing agents:** CO₂, powder or water spray. Fight larger fires with water spray.

· For safety reasons unsuitable extinguishing agents:

Do not use water jets that can cause the spread and extension of fire.

· 5.2 Special hazards arising from the substance or mixture

In case of fire, the following can be released:

Carbon monoxide (CO)

Nitrogen oxides (NO_x)

Under certain fire conditions, traces of other toxic gases cannot be excluded.

· 5.3 Advice for firefighters

· Protective equipment:

As in any fire, wear self-contained breathing apparatus and appropriate protective clothing including gloves and eye / face protection.

See Section 8 for information on personal protection equipment.

· Additional information

Do not inhale gases resulting from explosions and fires. Cool containers with jets of water to prevent decomposition of the product and the development of substances potentially hazardous to health.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

· For non-emergency personnel

Provide adequate ventilation and move away from the danger area. For personal protection, see section 8.

(Contd. on page 4)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 24.07.2025

Version number 1

Revision: 24.07.2025

Trade name: HYDROCARBON 2

(Contd. of page 3)

- **For emergency responders**

The intervention personnel must wear appropriate personal protective equipment (overalls, gloves, goggles and dust mask). Keep non-emergency personnel away from the affected area.

- **6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.

- **6.3 Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Send for recovery or disposal in suitable receptacles.

Dispose contaminated material as waste according to section 13.

- **6.4 Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**

You should follow the usual precautions for handling chemical products

Avoid contact with eyes and skin.

- **Information about fire - and explosion protection:**

Emergency cooling must be available in case of nearby fire.

- **7.2 Conditions for safe storage, including any incompatibilities**

- **Storage:**

- **Requirements to be met by storerooms and receptacles:** Store only in the original receptacle.

- **Information about storage in one common storage facility:** Not required.

- **Further information about storage conditions:** Store in cool, dry conditions in well sealed receptacles.

- **7.3 Specific end use(s)** No further data; see section 1.2.

SECTION 8: Exposure controls/personal protection

- **8.1 Control parameters**

- **Ingredients with limit values that require monitoring at the workplace:**

CAS: 111-76-2 2-butoxyethanol (5-15%)

OEL Short-term value: 246 mg/m³, 50 ppm

Long-term value: 98 mg/m³, 20 ppm

Skin, IOELV

CAS: 1310-58-3 potassium hydroxide (1-2%)

OEL Short-term value: 2 mg/m³

- **Regulatory information** OEL: 2024 CoP for the Safety, Health and Welfare at Work

- **DNELs**

CAS: 111-76-2 2-butoxyethanol

Oral	Long term, systemic effect	6.3 mg/kg bw/day (general population)
Dermal	Long term, systemic effect	75 mg/kg bw/day (general population)
		125 mg/kg bw/day (professional workers)
Inhalative	Short term, local effect	147 mg/m ³ (general population)
		246 mg/m ³ (professional workers)
	Short term, systemic effect	426 mg/m ³ (general population)
		652 mg/m ³ (professional workers)

(Contd. on page 5)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 24.07.2025

Version number 1

Revision: 24.07.2025

Trade name: HYDROCARBON 2

(Contd. of page 4)

	Long term, systemic effect	59 mg/m ³ (general population) 98 mg/m ³ (professional workers)
	Lungo termine, effetti sistemici	67.5 mg/Kg bw/day (professional workers)
CAS: 1310-58-3 potassium hydroxide		
Inhalative	Long term, systemic effect	1 mg/m ³ (general population) 1 mg/m ³ (professional workers)

· **PNECs****CAS: 111-76-2 2-butoxyethanol**

PNEC	34.6 mg/kg (fresh water sediments)
	3.46 mg/kg (marine water sediments)
	2.33 mg/kg (soil)
PNEC	8.8 mg/l (freshwater)
	9.1 mg/l (intermittent releases)
	0.88 mg/l (marine water)
	463 mg/l (sewage treatment plant)

· **Additional information:** The lists valid during the making were used as basis.· **8.2 Exposure controls**· **Appropriate engineering controls** No further data; see section 7.· **Individual protection measures, such as personal protective equipment**· **General protective and hygienic measures:**

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· **Respiratory protection:** Work in a sufficiently ventilated environment and avoid inhaling the product.· **Hand protection**

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation



Protective gloves

· **Material of gloves**

Nitrile rubber, NBR

Neoprene gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

Breakthrough time: > = 480 min - Material thickness: > = 0.7 mm

Breakthrough time: > = 60 min - Material thickness: > = 0.5 mm

Breakthrough time: > = 30 min - Material thickness: > = 0.2 mm

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 6)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 24.07.2025

Version number 1

Revision: 24.07.2025

Trade name: HYDROCARBON 2

(Contd. of page 5)

· **Eye/face protection**

Tightly sealed goggles

· **Environmental exposure controls** Observe safety measures related to the environment; refer to Section 6.2.

SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**· **General Information**

· Physical state	Liquid
· Colour:	Colourless
· Odour:	Characteristic
· Odour threshold:	Not determined.
· Melting point/freezing point:	Not relevant for product characterisation.
· Boiling point or initial boiling point and boiling range	100 °C
· Flammability	Non-flammable (mixture in aqueous solution).
· Lower and upper explosion limit	
· Lower:	Not applicable (the product has no explosive properties).
· Upper:	Not applicable (the product has no explosive properties).
· Flash point:	>60 °C
· Auto-ignition temperature:	Not applicable. The product has no flammable properties.
· Decomposition temperature:	Not determined as not relevant for product characterisation.
· pH at 20 °C	8
· Viscosity:	
· Kinematic viscosity	Not determined.
· Dynamic:	Not determined.
· Solubility	
· water:	Soluble.
· Partition coefficient n-octanol/water (log value)	Not determined.
· Vapour pressure:	Not determined.
· Density and/or relative density	
· Density at 20 °C:	1 g/cm ³
· Relative density	Not determined.
· Vapour density	Not determined.

· **9.2 Other information**

· Appearance:	
· Form:	Liquid
· Important information on protection of health and environment, and on safety.	
· Ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product does not present an explosion hazard.
· Evaporation rate	Not determined.

(Contd. on page 7)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 24.07.2025

Version number 1

Revision: 24.07.2025

Trade name: HYDROCARBON 2

(Contd. of page 6)

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No hazardous reactions when stored and handled according to instructions
- **10.2 Chemical stability** The product is stable under normal conditions of use and storage
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** Excessive variations in temperature, below 0 ° C and above 40 ° C
- **10.5 Incompatible materials:** Avoid contact with acids and oxidants.
- **10.6 Hazardous decomposition products:**
When heated or in case of fire can release gases and vapors which are dangerous to health.
carbon monoxide, carbon dioxide
Nitrogen oxides (NOx)
No dangerous decomposition products known.

SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity**
Harmful if swallowed.

· LD/LC50 values relevant for classification:

ATE (Acute Toxicity Estimates)

Oral	LD50	1,917 mg/kg
Inhalative	LC50/4 h	21.4 mg/l (ATE)

CAS: 160901-19-9 Alcoli, C12-13 ramificati e lineari, etossilati

Oral	LD50	500 mg/kg (ATE)
------	------	-----------------

CAS: 111-76-2 2-butoxyethanol

Oral	LD50	1,200 mg/kg (ATE)
		1,200 mg/kg (mouse)
		1,776 mg/kg (rat)
		mg/kg (rabbit)
Dermal	LD50	1,000-2,000 mg/kg (rat)
Inhalative	LC50/4 h	3 mg/l (ATE)
		11 mg/l (rat)

CAS: 577-11-7 diethylhexyl sodium sulfosuccinate

Oral	LD50	mg/kg (rat)
------	------	-------------

CAS: 1310-58-3 potassium hydroxide

Oral	LD50	333 mg/kg (ATE)
		333 mg/kg (rat)

- **Primary irritant effect:**
- **Skin corrosion/irritation** Causes skin irritation.
- **Serious eye damage/irritation** Causes serious eye damage.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.

(Contd. on page 8)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 24.07.2025

Version number 1

Revision: 24.07.2025

Trade name: HYDROCARBON 2

(Contd. of page 7)

- **Aspiration hazard** Based on available data, the classification criteria are not met.
- **11.2 Information on other hazards**
- **Endocrine disrupting properties**

The substance/mixture does not contain components considered to have endocrine disrupting properties according to Article 57(f) of REACH or Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or more;

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

CAS: 160901-19-9 Alcoli, C12-13 ramificati e lineari, etossilati

EC50 >10-100 mg/kg (daphnia) (Esposizione 48 h)

EC50 >10-100 mg/l (algae) (Esposizione 72 h)

· 12.2 Persistence and degradability

Easily biodegradable

The surfactants contained in the product correspond to the legislation on the environmental compatibility of detergents and are biodegradable.

· **Other information:** The product is easily biodegradable.

· **12.3 Bioaccumulative potential** Non significant accumulation in organisms

· **12.4 Mobility in soil** No further relevant information available.

· 12.5 Results of PBT and vPvB assessment

· PBT:

According to the available data, the product does not contain any PBT substances in a proportion $\geq 0.1\%$.

· **vPvB:** According to the available data, the product does not contain vPvB substances in a proportion $\geq 0.1\%$.

· 12.6 Endocrine disrupting properties

The substance/mixture does not contain components considered to have endocrine disrupting properties according to Article 57(f) of REACH or Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or more;

· 12.7 Other adverse effects

· Additional ecological information:

· General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Do not discard the product or its packaging. Do not empty into drains. Recycle the product. When recycling is not possible, dispose through an authorized company in compliance with the local or national regulations. The assignment of the waste code is the user's responsibility, after determining the properties of the waste and the process generating it and after discussing it with the authorities responsible for disposal.

· Uncleaned packaging:

· Recommendation:

Empty the containers before disposal. Do not reuse the emptied containers. Send the empty containers to recycling or to an authorized company in compliance with local and national regulations.

(Contd. on page 9)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 24.07.2025

Version number 1

Revision: 24.07.2025

Trade name: HYDROCARBON 2

(Contd. of page 8)

· **Recommended cleansing agents:** Water.

SECTION 14: Transport information

· 14.1 UN number or ID number · ADR, ADN, IMDG, IATA	Void
· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	Void
· 14.3 Transport hazard class(es) · ADR, ADN, IMDG, IATA · Class	Void
· 14.4 Packing group · ADR, IMDG, IATA	Void
· 14.5 Environmental hazards: · Marine pollutant:	No
· 14.6 Special precautions for user	Not applicable.
· 14.7 Maritime transport in bulk according to IMO instruments	Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.
· UN "Model Regulation":	Void

SECTION 15: Regulatory information

· **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
Safety data sheet prepared in accordance with Regulation 1907/2006/EC Article 31, Regulation (EU) No 878/2020 as subsequent amendments.

- Directive 2012/18/EU
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3

· **DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**

None of the ingredients is listed.

· **REGULATION (EU) 2019/1148**

· **Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**

None of the ingredients is listed.

· **Annex II - REPORTABLE EXPLOSIVES PRECURSORS**

None of the ingredients is listed.

· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

(Contd. on page 10)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 24.07.2025

Version number 1

Revision: 24.07.2025

Trade name: HYDROCARBON 2

(Contd. of page 9)

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

• Relevant phrases

- H226 Flammable liquid and vapour.
- H302 Harmful if swallowed.
- H304 May be fatal if swallowed and enters airways.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H331 Toxic if inhaled.
- H335 May cause respiratory irritation.
- H400 Very toxic to aquatic life.

• Classification according to Regulation (EC) No 1272/2008

As required by Regulation 1272/2008/CE art. 9, the classification of this compound is based on the calculation method taken from the data of the single substances therein and from the experimental data of this compound where available (viewable in sections 9, 11 and 12 in this document).

Procedure used for the classification of the mixture

- Acute Tox. 4, H302 - Calculation method
- Skin Irrit. 2, H315 - Calculation method
- Eye Dam. 1, H318 - Calculation method

• Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

ATE: Acute toxicity estimate values

Flam. Liq. 3: Flammable liquids – Category 3

Acute Tox. 4: Acute toxicity – Category 4

Acute Tox. 3: Acute toxicity – Category 3

Skin Corr. 1A: Skin corrosion/irritation – Category 1A

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Asp. Tox. 1: Aspiration hazard – Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

• Sources

- Safety data sheets and data sheets of raw material suppliers.
- ECHA (EU), registered substances database.
- ECHA (EU), C&L inventory database.
- ECHA (EU), SVHC candidate substances.
- IARC (F), International Agency for Research on Cancer.
- ISS (I), Istituto Superiore di Sanità, Hazardous Substances Database.
- ACGIH (USA), American Conference of Governmental Industrial Hygienists.
- INRS (F), Institut National de Recherche et de Sécurité : Les Mélanges Explosifs.

(Contd. on page 11)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 24.07.2025

Version number 1

Revision: 24.07.2025

Trade name: HYDROCARBON 2

(Contd. of page 10)

- Ministry of the Environment (I), Ecotoxicological database on chemicals.
- IFA (D), Institut für Arbeitsschutz, GESTIS database on hazardous substances.
- ILO, International Labour Organization, International Chemical Safety Cards database.
- OECD, Organisation for Economic Co-operation and Development, eChemPortal database.
- WHO, World Health Organization, Chemical Safety Information database. -TOXNET (USA), Toxicology Data Network database.
- ATSDRC (USA), Agency for Toxic Substances & Disease Registry database.
- SCOEL Opinion for crystalline free silica (respirable dust), 2003.
- SCOEL Opinion for the presence of hexavalent chromium in cement, 2002.

-IE-