Printing date 24.04.2019 Version number 3 Revision: 24.04.2019

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: LAVATUTE
· Article number: SMPL44

- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Sector of Use

SU21 Consumer uses: Private households / general public / consumers

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

- Product category PC35 Washing and cleaning products (including solvent based products)
- · Application of the substance / the mixture Cleaning agent/ Cleaner
- · Uses advised against Any use other than those identified is not recommended.
- · 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

G.B.M. Elettrochimica s.r.l.

via Fiumicino S. Mauro 120/130 - 47039 Savignano sul Rubicone (FC)

tel. 0541/930058 - Fax 0541/810218

www.gbmprodottichimici.it - E-mail gbm@prodottichimici.it

- · Further information obtainable from: info@gbmprodottichimici.it
- · 1.4 Emergency telephone number:

G.B.M. Elettrochimica srl - Tel. +39 0541 930058 (office hours)

Centro Antiveleni di Milano 02 66101029 (CAV Ospedale Niguarda Ca' Granda -Milano)

Centro Antiveleni di Pavia 0382 24444 (CAV IRCCS Fondazione Maugeri - Pavia)

Centro Antiveleni di Bergamo 800 883300 (CAV Ospedali Riuniti - Bergamo)

Centro Antiveleni di Firenze 055 7947819 (CAV Ospedale Careggi - Firenze)

Centro Antiveleni di Roma 06 3054343 (CAV Policlinico Gemelli - Roma)

Centro Antiveleni di Roma 06 49978000 (CAV Policlinico Umberto I - Roma)

Centro Antiveleni di Napoli 081 7472870 (CAV Ospedale Cardarelli - Napoli)

Centro Antiveleni di Foggia 0881 732326 (CAV Ospedale Univ. - Foggia)

Centro Antiveleni di Roma 06 68593726 (CAV Osp. Pediatrico Bambino Gesù - Roma)

### **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS05 corrosion

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



· Signal word Danger

(Contd. on page 2)

Printing date 24.04.2019 Version number 3 Revision: 24.04.2019

Trade name: LAVATUTE

(Contd. of page 1)

#### · Hazard-determining components of labelling:

Isotridecanolo etossilato

Benzenesulfonic acid, 4-C10-13-sec-alkylderivs.

#### · Hazard statements

H315 Causes skin irritation.

H318 Causes serious eye damage.

### Precautionary statements

P102 Keep out of reach of children.
P264 Wash thoroughly after handling.

P280 Wear protective gloves / eye protection / face protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P321 Specific treatment (see on this label).

P362+P364 Take off contaminated clothing and wash it before reuse.
P332+P313 If skin irritation occurs: Get medical advice/attention.

#### · Additional information:

EUH208 Contains terpinolene, reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1). May produce an allergic reaction.

#### · 2.3 Other hazards

- · Results of PBT and vPvB assessment
- PBT: Not applicable.vPvB: Not applicable.

### SECTION 3: Composition/information on ingredients

### · 3.2 Chemical characterisation: Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:				
CAS: 69011-36-5	Isotridecanolo etossilato  ♦ Eye Dam. 1, H318; ♦ Acute Tox. 4, H302	5-15%		
CAS: 61789-30-8 EINECS: 263-049-9	VFatty acids, coco, potassium salts  ◆ Skin Irrit. 2, H315; Eye Irrit. 2, H319	2-5%		
CAS: 85536-14-7 EINECS: 287-494-3 Reg.nr.: 01-2119490234-40-xxxx	Benzenesulfonic acid, 4-C10-13-sec-alkylderivs. Skin Corr. 1B, H314; Eye Dam. 1, H318; Acute Tox. 4, H302	2-5%		
CAS: 586-62-9 EINECS: 209-578-0	terpinolene  Asp. Tox. 1, H304; Aquatic Chronic 2, H411; Skin Irrit. 2, H315; Skin Sens. 1, H317	0.1-1%		
CAS: 55965-84-9	reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)  Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331; Skin Corr. 1B, H314; Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100);  Skin Sens. 1, H317	<0.01%		

· Additional information: For the wording of the listed hazard phrases refer to section 16.

GB

Printing date 24.04.2019 Version number 3 Revision: 24.04.2019

Trade name: LAVATUTE

(Contd. of page 2)

### **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- · General information:

Rescue workers must wear the protective equipment described in section 8.2 of this safety data sheet.

- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eve contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

· 4.2 Most important symptoms and effects, both acute and delayed

Eyes: corrosive, corneal damage, irritation

Skin: irritation

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

Use fire extinguishing methods suitable to surrounding conditions.

CO2, powder or water spray. Fight larger fires with water spray.

- · For safety reasons unsuitable extinguishing agents: None in particular
- · 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

- · 5.3 Advice for firefighters
- · Protective equipment:

See Section 8 for information on personal protection equipment.

See Section 8 for information on personal protection equipment.

### SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Wear protective clothing.
- · 6.2 Environmental precautions:

Do not allow to enter sewers/ surface or ground water.

Inform respective authorities in case of seepage into water course or sewage system.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## **SECTION 7: Handling and storage**

· 7.1 Precautions for safe handling

You should follow the usual precautions for handling chemical products See Section 8 for information on personal protection equipment.

· Information about fire - and explosion protection:

No special measures required.

The product is not flammable.

(Contd. on page 4)

Printing date 24.04.2019 Version number 3 Revision: 24.04.2019

Trade name: LAVATUTE

(Contd. of page 3)

- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage:
- Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep container tightly sealed.
- · 7.3 Specific end use(s) No further relevant information available.

## SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- · Respiratory protection: Not required.
- · Protection of hands:



Protective gloves

Only use EN 374-3 certified protective gloves against chemical agents.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Recommended thickness of the material:  $\geq 0.2 \, \text{mm}$ 

Nitrile rubber, NBR

Natural rubber, NR

#### · Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

Value for the permeation: Level 2/3

Eye protection:



Tightly sealed goggles

GB

Printing date 24.04.2019 Version number 3 Revision: 24.04.2019

Trade name: LAVATUTE

(Contd. of page 4)

# SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Appearance:

Form: Fluid
Colour: Light yellow
Odour: Pleasant
Odour threshold: Not determined.

• **pH-value at 20 °C:** 9 - 9.5

· Change in condition

Melting point/freezing point: Undetermined.

Initial boiling point and boiling range: 100 °C

· Flash point: Not applicable.

· Flammability (solid, gas): Not applicable.

· Auto-ignition temperature: Product is not selfigniting.

· Explosive properties: Product does not present an explosion hazard.

Not determined.

Not determined.

Soluble.

· Explosion limits:

Lower: Upper:

Vapour pressure at 20 °C: 23 hPa
Density: Not determined.
Relative density Not determined.
Vapour density Not determined.
Evaporation rate Not determined.

· Solubility in / Miscibility with

water:

· Partition coefficient: n-octanol/water: Not determined.

· Viscosity:

**Dynamic:** Not determined. **Kinematic:** Not determined.

· Solvent content:

Organic solvents: 0.0 %

• **9.2 Other information** No further relevant information available.

### SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid Excessive variations in temperature, below 0 ° C and above 40 ° C
- 10.5 Incompatible materials: Avoid contact with acids and oxidants.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

GB

Printing date 24.04.2019 Version number 3 Revision: 24.04.2019

Trade name: LAVATUTE

(Contd. of page 5)

## **SECTION 11: Toxicological information**

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50	· LD/LC50 values relevant for classification:				
ATE (Acute Toxicity Estimates)					
Oral	LD50	7,288-18,278 mg/kg (rat)			
69011-36-5 Isotridecanolo etossilato					
Oral	LD50	500-2,000 mg/kg (rat)			
85536-14-7 Benzenesulfonic acid, 4-C10-13-sec-alkylderivs.					
Oral	LD50	1,470 mg/kg (rat)			
55965-84-9 reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)					
Oral	LD50	100 mg/kg (ATE)			
Dermal	LD50	300 mg/kg (ATE)			
	LC50/4 h	3 mg/l (ATE)			

- · Primary irritant effect:
- · Skin corrosion/irritation

Causes skin irritation.

· Serious eye damage/irritation

Causes serious eye damage.

- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

### **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity:

#### 69011-36-5 Isotridecanolo etossilato

EC50 1-10 mg/l (algae) (durata 72 h) 1-10 mg/l (daphnia) (durata 48 h)

85536-14-7 Benzenesulfonic acid, 4-C10-13-sec-alkylderivs.

EC50 2.9 mg/kg (daphnia)

- · 12.2 Persistence and degradability Easily biodegradable
- · 12.3 Bioaccumulative potential Non significant accumulation in organisms
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

(Contd. on page 7)

Printing date 24.04.2019 Version number 3 Revision: 24.04.2019

Trade name: LAVATUTE

(Contd. of page 6)

• 12.6 Other adverse effects No further relevant information available.

## **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation

Do not discard the product or its packaging. Do not empty into drains. Recycle the product. When recycling is not possible, dispose through an authorized company in compliance with the local or national regulations. The assignment of the waste code is the user's responsibility, after determining the properties of the waste and the process generating it and after discussing it with the authorities responsible for disposal.

- · Uncleaned packaging:
- · Recommendation:

Empty the containers before disposal. Do not reuse the emptied containers. Send the empty containers to recycling or to an authorized company in compliance with local and national regulations.

· Recommended cleansing agents: Water.

14.1 UN-Number	
ADR, ADN, IMDG, IATA	Void
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	Void
14.3 Transport hazard class(es)	
ADR, ADN, IMDG, IATA	
Class	Void
14.4 Packing group	
ADR, IMDG, IATA	Void
14.5 Environmental hazards:	
Marine pollutant:	No
14.6 Special precautions for user	Not applicable.
14.7 Transport in bulk according to Anne	ex II
of Marpol and the IBC Code	Not applicable.
Transport/Additional information:	Not dangerous according to the above specifications.
UN "Model Regulation":	Void

### **SECTION 15: Regulatory information**

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This product is to be considered as a preparation according to EU-legislation.

This surfactant complies with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them at their direct request or at the request of a detergent manufacturer.

Safety data sheet prepared in accordance with Regulation 1907/2006/EC Article 31, Regulation (EU) No 830/2015 as subsequent amendments.

(Contd. on page 8)

Printing date 24.04.2019 Version number 3 Revision: 24.04.2019

Trade name: LAVATUTE

	(Conta. or page 7)	
· Regulation (EC) No 648/2004 on detergents / Labelling for contents		
non-ionic surfactants	≥5 - <15%	
soap, anionic surfactants, EDTA and salts thereof	<5%	
perfumes, preservation agents (Methylchloroisothiazolinone, Methylisothia	nzolinone)	

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. The information provided in this Safety Data Sheet is correct to the best of our knowledge. information and belief at the date of its publication. The information given is designed only as a quidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

#### · Relevant phrases

H301 Toxic if swallowed.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H331 Toxic if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

### Classification according to Regulation (EC) No 1272/2008

As required by Regulation 1272/2008/CE art. 9, the classification of this compound is based on the calculation method taken from the data of the single substances therein and from the experimental data of this compound where available (viewable in sections 9, 11 and 12 in this document).

Procedure used for the classification of the mixture

Skin Irrit. 2, H315 - Calculation method

Eye Dam. 1, H318 - method of calculation

### · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 3: Acute toxicity – Category 3 Acute Tox. 4: Acute toxicity – Category 4

Skin Corr. 1B: Skin corrosion/irritation - Category 1B

Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation - Category 1

(Contd. on page 9)

Page 9/9

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.04.2019 Version number 3 Revision: 24.04.2019

Trade name: LAVATUTE

(Contd. of page 8)

Asp. Tox. 1: Aspiration hazard – Category 1
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2