

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 24.02.2026

Version number 6 (replaces version 5)

Revision: 24.02.2026

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: **QUICK SCURENTE Spray**

· UFI: 9V30-Q0HU-5001-EU4P

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

· Life cycle stages

C Consumer use

PW Widespread use by professional workers

· Product category PC35 Washing and cleaning products (including solvent based products)

· Application of the substance / the mixture revitalizing fair skin

· Uses advised against Any use other than those identified is not recommended.

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

G.B.M. Elettrochimica s.r.l.

via Fiumicino S. Mauro 120/130 - 47039 Savignano sul Rubicone (FC)

tel. 0541/930058 - Fax 0541/810218

www.gbmprodottichimici.it - E-mail gbmprodottichimici.it

· Further information obtainable from: info@gbmprodottichimici.it

· 1.4 Emergency telephone number: G.B.M. Elettrochimica srl - Tel. +39 0541 930058 (office hours)

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008



GHS02 flame

Aerosol 1 H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.



GHS09 environment

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

STOT SE 3 H336 May cause drowsiness or dizziness.

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



GHS02



GHS07



GHS09

· Signal word **Danger**

(Contd. on page 2)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 24.02.2026

Version number 6 (replaces version 5)

Revision: 24.02.2026

Trade name: QUICK SCURENTE Spray

(Contd. of page 1)

· **Hazard-determining components of labelling:**

Idrocarburi, C7, n-alcani, isoalcani, ciclici

· **Hazard statements**

H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.

H315 Causes skin irritation.

H336 May cause drowsiness or dizziness.

H411 Toxic to aquatic life with long lasting effects.

· **Precautionary statements**

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

P312 Call a POISON CENTER/doctor if you feel unwell.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Additional information:**

The indications concerning the classification as toxic by aspiration are excluded from the elements of the label according to according to point 1.3.3 of Annex I of Regulation (EC) 1272/2008, with application of the derogation in Article 23 c).

· **2.3 Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:**

According to the available data, the product does not contain any PBT substances in a proportion $\geq 0.1\%$.

· **vPvB:** According to the available data, the product does not contain vPvB substances in a proportion $\geq 0.1\%$.

· **Determination of endocrine-disrupting properties**

The substance/mixture does not contain components considered to have endocrine disrupting properties according to Article 57(f) of REACH or Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or more;

SECTION 3: Composition/information on ingredients

· **3.2 Mixtures**

· **Description:** Mixture of substances listed below with nonhazardous additions.

· **Dangerous components:**

EC number: 927-510-4	Idrocarburi, C7, n-alcani, isoalcani, ciclici	60-80%
Reg.nr.: 01-2119475515-33	 Flam. Liq. 2, H225;  Asp. Tox. 1, H304;  Aquatic Chronic 2, H411;  Skin Irrit. 2, H315; STOT SE 3, H336	

(Contd. on page 3)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 24.02.2026

Version number 6 (replaces version 5)

Revision: 24.02.2026

Trade name: QUICK SCURENTE Spray

(Contd. of page 2)

CAS: 106-97-8 EINECS: 203-448-7 Index number: 601-004-00-0 Reg.nr.: 01-2119474691-32	butane, pure ⚠ Expl. 1.2, H202; Flam. Gas 1A, H220; Press. Gas (Comp.), H280	15-25%
CAS: 74-98-6 EINECS: 200-827-9 Index number: 601-003-00-5 Reg.nr.: 01-2119486944-21	propane ⚠ Flam. Gas 1A, H220; ⚠ Acute Tox. 3, H331; Press. Gas (Comp.), H280 ATE: LC50/4 h inhalative: 658 mg/l	5-15%
CAS: 75-28-5 EINECS: 200-857-2 Index number: 601-004-00-0 Reg.nr.: 01-2119485395-27	isobutane ⚠ Expl. 1.2, H202; Flam. Gas 1A, H220; Press. Gas (Comp.), H280	5-15%
CAS: 8042-47-5 EINECS: 232-455-8 Reg.nr.: 01-2119487078-27	White mineral oil, petroleum ⚠ Asp. Tox. 1, H304; ⚠ Acute Tox. 4, H312 ATE: LD50 oral: 5,000 mg/kg LD50 dermal: 2,000 mg/kg	5-15%

· **Additional information:** For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· General information:

Take affected persons out into the fresh air.

Rescue workers must wear the protective equipment described in section 8.2 of this safety data sheet.

· IF INHALATED:

Supply fresh air.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact: Immediately wash with water and soap and rinse thoroughly.

· After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing:

If ingested do not induce vomiting, seek medical assistance showing the safety data sheet or the hazard label

· 4.2 Most important symptoms and effects, both acute and delayed Skin: irritation

· 4.3 Indication of any immediate medical attention and special treatment needed

If any symptoms appear and/or if in doubt, contact a physician and provide this MSDS.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

· Suitable extinguishing agents:

CO₂, sand, extinguishing powder. Do not use water.

CO₂, powder or water spray. Fight larger fires with water spray.

· For safety reasons unsuitable extinguishing agents:

Water with full jet

Do not use water jets that can cause the spread and extension of fire.

· 5.2 Special hazards arising from the substance or mixture

In case of fire, the following can be released:

Carbon monoxide (CO)

Nitrogen oxides (NO_x)

Overheated aerosol cans burst and can be thrown away violently and a dangerous fire spread mechanism can occur.

Product under pressure in a tight metal container (pressure test max. 15 bar). Cool containers with water

(Contd. on page 4)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 24.02.2026

Version number 6 (replaces version 5)

Revision: 24.02.2026

Trade name: QUICK SCURENTE Spray

(Contd. of page 3)

spray while keeping them away from the fire. Overheated aerosol containers burst and can be thrown away violently (protect your head by using a safety helmet).

Under certain fire conditions, traces of other toxic gases cannot be excluded.

· **5.3 Advice for firefighters**

· **Protective equipment:**

As in any fire, wear self-contained breathing apparatus and appropriate protective clothing including gloves and eye / face protection.

Use respiratory protection.

Safety helmet and full protective clothing.

Water mist can be used to protect persons engaged in extinguishing

It is also advisable to use self-contained breathing apparatus, especially if working in closed, poorly ventilated areas and in any case if using halogenated extinguishing agents (fluobrene, solkane 123, naf etc.).

Cool containers with water jets

See Section 8 for information on personal protection equipment.

· **Additional information**

Do not inhale gases resulting from explosions and fires. Cool containers with jets of water to prevent decomposition of the product and the development of substances potentially hazardous to health.

SECTION 6: Accidental release measures

· **6.1 Personal precautions, protective equipment and emergency procedures**

Wear protective equipment. Keep unprotected persons away.

· **For non-emergency personnel**

Move away from the area surrounding the spill or release. Do not smoke.

Move away from the surrounding area, remembering that any overheating could project the cylinder a considerable distance. Wear mask, gloves and protective clothing.

Provide adequate ventilation and move away from the danger area. For personal protection, see section 8.

· **For emergency responders**

Due to the airtightness of the aerosol can, it is quite unlikely that considerable spillage will occur. However, should any of the canisters be damaged in such a way as to cause a leak, isolate the canister in question by moving it into the open air or covering it with an inert, non-combustible material (e.g. sand, earth, vermiculite) and taking care to avoid any ignition points that could pose a serious fire risk. Wear PVC, butyl rubber, neoprene or equivalent gloves and protective clothing. Eliminate all open flames and possible sources of ignition. Do not smoke. Provide adequate ventilation. Evacuate the danger area and, if necessary, consult an expert.

The intervention personnel must wear appropriate personal protective equipment (overalls, gloves, goggles and dust mask). Keep non-emergency personnel away from the affected area.

· **6.2 Environmental precautions:**

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow product to reach sewage system or any water course.

· **6.3 Methods and material for containment and cleaning up:**

Send for recovery or disposal in suitable receptacles.

Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

· **6.4 Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

(Contd. on page 5)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 24.02.2026

Version number 6 (replaces version 5)

Revision: 24.02.2026

Trade name: **QUICK SCURENTE Spray**

(Contd. of page 4)

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Avoid contact with eyes and skin.

· Information about fire - and explosion protection:

Do not spray onto a naked flame or any incandescent material.

Keep ignition sources away - Do not smoke.

Protect from heat.

Protect against electrostatic charges.

Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use.

Emergency cooling must be available in case of nearby fire.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

· Requirements to be met by storerooms and receptacles:

Store in a cool location.

Store only in the original receptacle.

Observe official regulations on storing packagings with pressurised containers.

· Information about storage in one common storage facility: Not required

· Further information about storage conditions:

Keep container tightly sealed.

Do not seal receptacle gas tight.

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

· 7.3 Specific end use(s)

Professional use:

- Keep away from heat sources, sparks, open flames

- Do not use on heated surfaces or exposed to sunlight

- Do not breathe aerosols/vapours

- Avoid contact with eyes, skin, clothing

- Do not eat, drink or smoke during use

- Do not use in enclosed and/or confined spaces

- Avoid excessive use of the product in order not to create a build-up of flammable gas in the air

- Use at a distance of 20 cm from the surface to be treated to avoid dispersion in the air

- Spray for short intervals, and ensure good ventilation after use

Consumer uses:

- Keep away from sources of heat, sparks, open flames

- Do not use on heated surfaces or exposed to sunlight

- Do not breathe aerosols/vapours

- Avoid contact with eyes, skin, clothing

- Do not eat, drink or smoke during use

- Do not use in enclosed and/or confined spaces

- Avoid excessive use of the product in order not to create a build-up of flammable gas in the air

- Use at a distance of 20 cm from the surface to be treated to avoid dispersion in the air

- Spray for short intervals, and ensure good ventilation after use

No further data; see section 1.2.

(Contd. on page 6)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 24.02.2026

Version number 6 (replaces version 5)

Revision: 24.02.2026

Trade name: **QUICK SCURENTE Spray**

(Contd. of page 5)

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· **Ingredients with limit values that require monitoring at the workplace:**

CAS: 106-97-8 butane, pure (15-25%)

OEL Short-term value: 1000 ppm

CAS: 74-98-6 propane (5-15%)

OEL Asphx

CAS: 75-28-5 isobutane (5-15%)

OEL Short-term value: 1000 ppm

· **Regulatory information** OEL: 2024 CoP for the Safety, Health and Welfare at Work

· **DNELs**

Idrocarburi, C7, n-alcani, isoalcani, ciclici

Oral	Long term, systemic effect	149 mg/kg bw/day (general population)
Dermal	Long term, systemic effect	149 mg/kg bw/day (general population)
		300 mg/kg bw/day (professional workers)
Inhalative	Long term, systemic effect	447 mg/m ³ (general population)
		2,085 mg/m ³ (professional workers)

CAS: 8042-47-5 White mineral oil, petroleum

Oral	Long term, systemic effect	93.02 mg/kg bw/day (general population)
Dermal	Long term, systemic effect	93.02 mg/kg bw/day (general population)
		217.05 mg/kg bw/day (professional workers)
Inhalative	Long term, systemic effect	34.78 mg/m ³ (general population)
		164.56 mg/m ³ (professional workers)

· **Additional information:** The lists valid during the making were used as basis.

· 8.2 Exposure controls

· **Appropriate engineering controls** No further data; see section 7.

· **Individual protection measures, such as personal protective equipment**

· **General protective and hygienic measures:**

Avoid contact with the skin.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· **Respiratory protection:**

Use suitable respiratory protective device in case of insufficient ventilation.

Suitable respiratory protective device recommended.

· **Hand protection**

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation



Protective gloves

· **Material of gloves**

Neoprene gloves

(Contd. on page 7)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 24.02.2026

Version number 6 (replaces version 5)

Revision: 24.02.2026

Trade name: **QUICK SCURENTE Spray**

(Contd. of page 6)

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- **Penetration time of glove material**

- Breakthrough time: > = 480 min - Material thickness: > = 0.7 mm

- Breakthrough time: > = 60 min - Material thickness: > = 0.5 mm

- Breakthrough time: > = 30 min - Material thickness: > = 0.2 mm

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Eye/face protection**



Tightly sealed goggles

- **Environmental exposure controls** Observe safety measures related to the environment; refer to Section 6.2.

SECTION 9: Physical and chemical properties

- **9.1 Information on basic physical and chemical properties**

- **General Information**

- **Physical state**

Aerosol

- **Colour:**

Yellow

- **Odour:**

Pleasant

- **Odour threshold:**

Not determined

- **Melting point/freezing point:**

Not relevant for product characterisation.

- **Boiling point or initial boiling point and boiling range**

0 °C (propellente)

- **Flammability**

Non-flammable (mixture in aqueous solution).

- **Lower and upper explosion limit**

- **Lower:**

1.8 Vol % (LEL)

Not applicable (the product has no explosive properties).

- **Upper:**

9.5 Vol % (UEL)

Not applicable (the product has no explosive properties).

- **Flash point:**

-60 °C

- **Auto-ignition temperature:**

365 °C

- **Decomposition temperature:**

Not determined as not relevant for product characterisation.

- **pH**

Not applicable

Mixture is non-polar/aprotic.

- **Viscosity:**

- **Kinematic viscosity**

Not determined

- **Dynamic:**

Not determined

- **Solubility**

- **water:**

Soluble.

- **Partition coefficient n-octanol/water (log value)**

Not determined

- **Vapour pressure:**

Not determined as not relevant for product characterisation.

(Contd. on page 8)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 24.02.2026

Version number 6 (replaces version 5)

Revision: 24.02.2026

Trade name: QUICK SCURENTE Spray

(Contd. of page 7)

- **Density and/or relative density**
- **Density at 20 °C:** 0.6 g/cm³
- **Relative density** Not determined
- **Vapour density at 20 °C** >2 (propellente)

- **9.2 Other information**
- **Appearance:**
- **Form:** Aerosol
- **Important information on protection of health and environment, and on safety.**
- **Ignition temperature:** Product is not selfigniting.
- **Explosive properties:** Not determined
- **Evaporation rate** Not applicable.

SECTION 10: Stability and reactivity

- **10.1 Reactivity** the product can react violently with oxidizing agents
- **10.2 Chemical stability** The product is stable under normal conditions of use and storage
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid**
 Avoid heating the product, it may explode.
 Avoid contact with combustible materials. The product may ignite.
 Avoid heat, open flames, sparks and hot surfaces.
 The aerosol product is stable for a period of more than 36 months and under normal storage conditions no dangerous reactions can occur as the container is almost hermetically sealed.
 In order to prevent the metal of the container from deteriorating, keep away from products with an acid or basic reaction. Beware of heat, as at temperatures above 50 °C the pressure inside the container increases to such an extent that the cylinder deforms to the point of bursting.
 Excessive variations in temperature, below 0 °C and above 40 °C
 Avoid exposing the product to high temperatures. Keep the product away from open flames. Avoid humidity.
- **10.5 Incompatible materials:** Avoid contact with acids and oxidants.
- **10.6 Hazardous decomposition products:**
 When heated or in case of fire can release gases and vapors which are dangerous to health.
 carbon monoxide, carbon dioxide
 Nitrogen oxides (NOx)
 No dangerous decomposition products known.

SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:		
ATE (Acute Toxicity Estimates)		
Dermal	LD50	24,000 mg/kg

Idrocarburi, C7, n-alcani, isoalcani, ciclici		
Oral	LD50	>5,840 mg/kg (rat)
Dermal	LD50	>2,200 mg/kg (rat)

(Contd. on page 9)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 24.02.2026

Version number 6 (replaces version 5)

Revision: 24.02.2026

Trade name: **QUICK SCURENTE Spray**

(Contd. of page 8)

Inhalative	LC50/4 h	>23.3 mg/l (rat)
CAS: 106-97-8 butane, pure		
Inhalative	LC50/4 h	658 mg/l (rat)
CAS: 8042-47-5 White mineral oil, petroleum		
Oral	LD50	5,000 mg/kg (ATE)
Dermal	LD50	2,000 mg/kg (ATE)

- **Primary irritant effect:**
- **Skin corrosion/irritation** Causes skin irritation.
- **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** May cause drowsiness or dizziness.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** May be fatal if swallowed and enters airways.
- **11.2 Information on other hazards**
- **Endocrine disrupting properties**

The substance/mixture does not contain components considered to have endocrine disrupting properties according to Article 57(f) of REACH or Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or more;

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

Idrocarburi, C7, n-alcani, isoalcani, ciclici	
CL50	13.4 mg/l (fish) (Esposizione 96h)
EC50	>10 mg/l (algae) (Esposizione 72h)
	3 mg/l (daphnia) (Esposizione 48h)

· 12.2 Persistence and degradability

The product does not contain surfactants. The organic matter can be eliminated in the normal waste water treatment plants.

· 12.3 Bioaccumulative potential

Non significant accumulation in organisms

· 12.4 Mobility in soil

No further relevant information available.

· 12.5 Results of PBT and vPvB assessment

· PBT:

According to the available data, the product does not contain any PBT substances in a proportion $\geq 0.1\%$.

· vPvB:

According to the available data, the product does not contain vPvB substances in a proportion $\geq 0.1\%$.

· 12.6 Endocrine disrupting properties

The substance/mixture does not contain components considered to have endocrine disrupting properties according to Article 57(f) of REACH or Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or more;

· 12.7 Other adverse effects

· Remark:

Toxic for fish

· Additional ecological information:

· General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

(Contd. on page 10)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 24.02.2026

Version number 6 (replaces version 5)

Revision: 24.02.2026

Trade name: QUICK SCURENTE Spray

(Contd. of page 9)

Danger to drinking water if even extremely small quantities leak into the ground.
 Also poisonous for fish and plankton in water bodies.
 Toxic for aquatic organisms

SECTION 13: Disposal considerations

· **13.1 Waste treatment methods**

· **Recommendation**

Do not discard the product or its packaging. Do not empty into drains. Recycle the product. When recycling is not possible, dispose through an authorized company in compliance with the local or national regulations. The assignment of the waste code is the user's responsibility, after determining the properties of the waste and the process generating it and after discussing it with the authorities responsible for disposal.

· **Uncleaned packaging:**

· **Recommendation:**

Empty the containers before disposal. Do not reuse the emptied containers. Send the empty containers to recycling or to an authorized company in compliance with local and national regulations.

· **Recommended cleansing agents:** Water.

SECTION 14: Transport information

· **14.1 UN number or ID number**

· **ADR, IMDG, IATA**

UN1950

· **14.2 UN proper shipping name**

· **ADR**

1950 AEROSOLS, ENVIRONMENTALLY HAZARDOUS

· **IMDG**

AEROSOLS, MARINE POLLUTANT

· **IATA**

AEROSOLS, flammable

· **14.3 Transport hazard class(es)**

· **ADR**



· **Class**

2 5F Gases.

· **Label**

2.1

· **IMDG**



· **Class**

2.1 Gases.

· **Label**

2.1

(Contd. on page 11)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 24.02.2026

Version number 6 (replaces version 5)

Revision: 24.02.2026

Trade name: QUICK SCURENTE Spray

(Contd. of page 10)

· IATA



· Class 2.1 Gases.
· Label 2.1

· 14.4 Packing group
· ADR, IMDG, IATA Void

· 14.5 Environmental hazards: Product contains environmentally hazardous substances:
2,4-dimethylpentane
· Marine pollutant: Yes
Symbol (fish and tree)
· Special marking (ADR): Symbol (fish and tree)

· 14.6 Special precautions for user Warning: Gases.
· Hazard identification number (Kemler code): -
· EMS Number: F-D,S-U
· Stowage Code SW1 Protected from sources of heat.
SW22 For AEROSOLS with a maximum capacity of 1 litre:
Category A. For AEROSOLS with a capacity above 1 litre:
Category B. For WASTE AEROSOLS: Category C, Clear of
living quarters.
· Segregation Code SG69 For AEROSOLS with a maximum capacity of 1 litre:
Segregation as for class 9. Stow "separated from" class 1
except for division 1.4.
For AEROSOLS with a capacity above 1 litre:
Segregation as for the appropriate subdivision of class 2.
For WASTE AEROSOLS:
Segregation as for the appropriate subdivision of class 2.

· 14.7 Maritime transport in bulk according to IMO
instruments Not applicable

· Transport/Additional information:

· ADR
· Limited quantities (LQ) 1L
· Excepted quantities (EQ) Code: E0
Not permitted as Excepted Quantity
· Transport category 2
· Tunnel restriction code D

· IMDG
· Limited quantities (LQ) 1L
· Excepted quantities (EQ) Code: E0
Not permitted as Excepted Quantity

· UN "Model Regulation": UN 1950 AEROSOLS, 2.1, ENVIRONMENTALLY
HAZARDOUS

(Contd. on page 12)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 24.02.2026

Version number 6 (replaces version 5)

Revision: 24.02.2026

Trade name: **QUICK SCURENTE Spray**

(Contd. of page 11)

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
Safety data sheet prepared in accordance with Regulation 1907/2006/EC Article 31, Regulation (EU) No 878/2020 as subsequent amendments.
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **Seveso category**
P3a FLAMMABLE AEROSOLS
E2 Hazardous to the Aquatic Environment
- **Qualifying quantity (tonnes) for the application of lower-tier requirements** 150 t
- **Qualifying quantity (tonnes) for the application of upper-tier requirements** 500 t
- **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3
- **DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**
None of the ingredients is listed.
- **REGULATION (EU) 2019/1148**
- **Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**
None of the ingredients is listed.
- **Annex II - REPORTABLE EXPLOSIVES PRECURSORS**
None of the ingredients is listed.
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**
H202 Explosive, severe projection hazard.
H220 Extremely flammable gas.
H225 Highly flammable liquid and vapour.
H280 Contains gas under pressure; may explode if heated.
H304 May be fatal if swallowed and enters airways.
H312 Harmful in contact with skin.
H315 Causes skin irritation.
H331 Toxic if inhaled.
H336 May cause drowsiness or dizziness.
H411 Toxic to aquatic life with long lasting effects.
- **Classification according to Regulation (EC) No 1272/2008**
As required by Regulation 1272/2008/CE art. 9, the classification of this compound is based on the calculation method taken from the data of the single substances therein and from the experimental data of this compound where available (viewable in sections 9, 11 and 12 in this document).
Procedure used for the classification of the mixture
Asp. Tox. 1, H304 - Calculation method
Skin Irrit. 2, H315 - Calculation method
STOT SE 3, H336 - Calculation method
Aquatic Chronic 2, H411 - Calculation method
- **Version number of previous version:** 5

(Contd. on page 13)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 24.02.2026

Version number 6 (replaces version 5)

Revision: 24.02.2026

Trade name: QUICK SCURENTE Spray

(Contd. of page 12)

· **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

ATE: Acute toxicity estimate values

Expl. 1.2: Explosives – Division 1.2

Flam. Gas 1A: Flammable gases – Category 1A

Aerosol 1: Aerosols – Category 1

Press. Gas (Comp.): Gases under pressure – Compressed gas

Flam. Liq. 2: Flammable liquids – Category 2

Acute Tox. 4: Acute toxicity – Category 4

Acute Tox. 3: Acute toxicity – Category 3

Skin Irrit. 2: Skin corrosion/irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Asp. Tox. 1: Aspiration hazard – Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

· **Sources**

-Safety data sheets and data sheets of raw material suppliers.

-ECHA (EU), registered substances database.

-ECHA (EU), C&L inventory database.

-ECHA (EU), SVHC candidate substances.

-IARC (F), International Agency for Research on Cancer.

-ISS (I), Istituto Superiore di Sanità, Hazardous Substances Database.

-ACGIH (USA), American Conference of Governmental Industrial Hygienists.

-INRS (F), Institut National de Recherche et de Sécurité : Les Mélanges Explosifs.

-Ministry of the Environment (I), Ecotoxicological database on chemicals.

-IFA (D), Institut für Arbeitsschutz, GESTIS database on hazardous substances.

-ILO, International Labour Organization, International Chemical Safety Cards database.

-OECD, Organisation for Economic Co-operation and Development, eChemPortal database.

-WHO, World Health Organization, Chemical Safety Information database. -TOXNET (USA), Toxicology Data Network database.

-ATSDRC (USA), Agency for Toxic Substances & Disease Registry database.

-SCOEL Opinion for crystalline free silica (respirable dust), 2003.

-SCOEL Opinion for the presence of hexavalent chromium in cement, 2002.