

**Safety Data Sheet according to Reg. (EC) n.1907/2006 (REACH) - SOFT LB 3**

Safety Data Sheet dated 22/7/2024, version 5

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

## 1.1. Product identifier

Mixture identification:

Trade name:

**SOFT LB 3**

Trade code:

G13-004

UFI:

XVD0-V03J-500A-VNSW

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use:

Neutralizing fabric softener. For professional use.

Products categories: PC35 - washing and cleaning products. This category includes water and solvent based products.

Use at industrial sites (IS). Widespread use by professional workers (PW).

Uses advised against:

Do not use for purposes other than those indicated.

## 1.3. Details of the supplier of the safety data sheet

Company:

**G.B.M. ELETTRICIMICA s.r.l.**

Via Fiumicino San Mauro, 120/130 - 47039 – Savignano Sul Rubicone (FC) Italy

tel +39 0541 930058

**e-mail: [gbm@gbmprodottichimici.it](mailto:gbm@gbmprodottichimici.it)****web site: [www.gbmprodottichimici.it](http://www.gbmprodottichimici.it)**

## 1.4. Emergency telephone number

+39 0541-930058

**SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

EC regulation criteria 1272/2008 (CLP)

Skin Irrit. 2, H315 Causes skin irritation.

Eye Irrit. 2, H319 Causes serious eye irritation.

Adverse physicochemical, human health and environmental effects:

No other hazards

## 2.2. Label elements

Hazard pictograms:



Warning

Hazard statements:

H315 Causes skin irritation.

H319 Causes serious eye irritation.

Precautionary statements:

P264 Wash hands thoroughly with water after handling.

P280 Wear protective gloves and eye/face protection.

P332+P313 If skin irritation occurs: Get medical advice/attention.

P337+P313 If eye irritation persists: Get medical advice/attention.

P362+P364 Take off contaminated clothing and wash it before reuse.

## Safety Data Sheet according to Reg. (EC) n.1907/2006 (REACH) - SOFT LB 3

Special Provisions:

None

Contains

Isoeugenol: May produce an allergic reaction.

Special provisions according to Annex XVII of REACH and subsequent amendments:

None

2.3. Other hazards

No PBT, vPvB or endocrine disruptor substances present in concentration  $\geq 0.1\%$

Other Hazards:

No other hazards

### SECTION 3: Composition/information on ingredients

3.1. Substances

N.A.










3.2. Mixtures

Ingredients according to EC Detergents Regulation 648/2004:









Between 5-15%: cationic surfactants

Other comp.: perfume, hexyl cinnamal, limonene.

Hazardous components within the meaning of the CLP regulation and related classification:

Qty	Name	Ident. Number	Classification
>= 5% - < 10%	Fatty acids, C16-18 (even numbered) and C18 unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized	CAS: 1335202-88-4 EC: 931-203-0 REACH No.: 01-2119463889-16-XXXX	4.1/C3 Aquatic Chronic 3 H412
>= 1% - < 5%	formic acid ... %	Index number: 607-001-00-0 CAS: 64-18-6 EC: 200-579-1 REACH No.: 01-2119491174-37-XXXX	 2.16/1 Met. Corr. 1 H290  2.6/3 Flam. Liq. 3 H226  3.2/1A Skin Corr. 1A H314  3.3/1 Eye Dam. 1 H318  3.1/3/Inhal Acute Tox. 3 H331  3.1/4/Oral Acute Tox. 4 H302 Specific Concentration Limits: C $\geq 90\%$ : Skin Corr. 1A H314 10% $\leq$ C < 90%: Skin Corr. 1B H314 2% $\leq$ C < 10%: Skin Irrit. 2 H315 2% $\leq$ C < 10%: Eye Irrit. 2 H319
>= 1% - < 5%	propan-2-ol; isopropyl alcohol; isopropanol	Index number: 603-117-00-0 CAS: 67-63-0 EC: 200-661-7 REACH No.: 01-2119457558-	 2.6/2 Flam. Liq. 2 H225  3.3/2 Eye Irrit. 2 H319  3.8/3 STOT SE 3 H336

**Safety Data Sheet according to Reg. (EC) n.1907/2006 (REACH) - SOFT LB 3**

		25-XXXX		
165 ppm	Diphenyl ether	CAS: 101-84-8 EC: 202-981-2 REACH No.: 01-2119472545-33-XXXX		 4.1/C2 Aquatic Chronic 2 H411  3.3/2 Eye Irrit. 2 H319  4.1/A1 Aquatic Acute 1 H400
54 ppm	Isoeugenol	Index number: 604-094-00-X CAS: 97-54-1 EC: 202-590-7		 3.1/4/Oral Acute Tox. 4 H302  3.4.2/1A Skin Sens. 1A H317  3.1/4/Dermal Acute Tox. 4 H312  3.2/2 Skin Irrit. 2 H315  3.3/2 Eye Irrit. 2 H319 Specific Concentration Limits: C >= 0,01%: Skin Sens. 1A H317

**SECTION 4: First aid measures**

## 4.1. Description of first aid measures

In case of skin contact:

Immediately take off all contaminated clothing.

Areas of the body that have - or are only even suspected of having - come into contact with the product must be rinsed immediately with plenty of running water and possibly with soap.

Wash thoroughly the body (shower or bath).

Remove contaminated clothing immediately and dispose off safely.

After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

Protect uninjured eye.

In case of Ingestion:

Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

## 4.2. Most important symptoms and effects, both acute and delayed

None

## 4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

Treat symptomatically.

**SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

### Safety Data Sheet according to Reg. (EC) n.1907/2006 (REACH) - SOFT LB 3

Suitable extinguishing media:

Water.

Carbon dioxide (CO<sub>2</sub>).

Extinguishing media which must not be used for safety reasons:

None in particular.

5.2. Special hazards arising from the substance or mixture

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

5.3. Advice for firefighters

Use suitable breathing apparatus .

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

#### SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove persons to safety.

See protective measures under point 7 and 8.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

6.3. Methods and material for containment and cleaning up

Wash with plenty of water.

6.4. Reference to other sections

See also section 8 and 13

#### SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

See also section 8 for recommended protective equipment.

Advice on general occupational hygiene:

Contaminated clothing should be changed before entering eating areas.

Do not eat or drink while working.

7.2. Conditions for safe storage, including any incompatibilities

Store the product only in its original closed containers, in a cool, dry and well-ventilated areas at temperatures below 0 °C and not higher than 40 °C.

Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

7.3. Specific end use(s)

None in particular

#### SECTION 8: Exposure controls/personal protection

8.1. Control parameters

**Safety Data Sheet according to Reg. (EC) n.1907/2006 (REACH) -  
SOFT LB 3**

formic acid ... % - CAS: 64-18-6

UE - TWA(8h): 9 mg/m<sup>3</sup>, 5 ppm

ACGIH - TWA(8h): 5 ppm - STEL: 10 ppm - Notes: N.A.

propan-2-ol; isopropyl alcohol; isopropanol - CAS: 67-63-0

ACGIH - TWA(8h): 200 ppm - STEL: 400 ppm - Notes: N.A.

Diphenyl ether - CAS: 101-84-8

UE - TWA(8h): 7 mg/m<sup>3</sup>, 1 ppm - STEL: 14 mg/m<sup>3</sup>, 2 ppm

ACGIH - TWA(8h): 1 ppm - STEL: 2 ppm - Notes: N.A.

**DNEL Exposure Limit Values**

Fatty acids, C16-18 (even numbered) and C18 unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized - CAS: 1335202-88-4

Worker Professional: 14.8 mg/m<sup>3</sup> - Exposure: Human Inhalation - Frequency: Long Term, systemic effects - Endpoint: Repeated dose toxicity - Notes: ECHA

Worker Professional: 105 mg/kg b.w./day - Exposure: Human Dermal - Frequency: Long Term, systemic effects - Endpoint: Repeated dose toxicity - Notes: ECHA

Consumer: 2.61 mg/m<sup>3</sup> - Exposure: Human Inhalation - Frequency: Long Term, systemic effects - Endpoint: Repeated dose toxicity - Notes: ECHA

Consumer: 37.5 mg/kg b.w./day - Exposure: Human Dermal - Frequency: Long Term, systemic effects - Endpoint: Repeated dose toxicity - Notes: ECHA

Consumer: 1.5 mg/kg b.w./day - Exposure: Human Oral - Frequency: Long Term, systemic effects - Endpoint: Repeated dose toxicity - Notes: ECHA

formic acid ... % - CAS: 64-18-6

Worker Professional: 9.5 mg/m<sup>3</sup> - Exposure: Human Inhalation - Frequency: Long Term (repeated)

Consumer: 9.5 mg/m<sup>3</sup> - Exposure: Human Inhalation - Frequency: Short Term (acute)

Consumer: 3 mg/m<sup>3</sup> - Exposure: Human Inhalation - Frequency: Long Term (repeated)

Diphenyl ether - CAS: 101-84-8

Worker Professional: 59 mg/m<sup>3</sup> - Exposure: Human Inhalation - Frequency: Long Term, systemic effects - Endpoint: Repeated dose toxicity

Worker Professional: 7 mg/m<sup>3</sup> - Exposure: Human Inhalation - Frequency: Short Term, systemic effects - Endpoint: Repeated dose toxicity

Worker Professional: 9.68 mg/m<sup>3</sup> - Exposure: Human Inhalation - Frequency: Long Term, local effects

Worker Professional: 25 mg/kg b.w./day - Exposure: Human Dermal - Frequency: Long Term, systemic effects - Endpoint: Repeated dose toxicity

Worker Professional: 0.15 mg/cm<sup>2</sup> - Exposure: Human Dermal - Frequency: Long Term, local effects

**PNEC Exposure Limit Values**

Fatty acids, C16-18 (even numbered) and C18 unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized - CAS: 1335202-88-4

Target: Fresh Water - Value: 22 µg/L - Type of hazard: Danger to aquatic organisms - Notes:: ECHA

Target: Intermittent release (fresh water) - Value: 19.1 µg/L - Type of hazard: Danger to aquatic organisms - Notes:: ECHA

Target: Marine water - Value: 2.24 µg/L - Type of hazard: Danger to aquatic organisms - Notes:: ECHA

Target: Intermittent release (seawater) - Value: 1.9 µg/L - Type of hazard: Danger to aquatic organisms - Notes:: ECHA

Target: Sewage treatment plant - Value: 2.96 mg/l - Type of hazard: Danger to aquatic organisms - Notes:: ECHA

Target: Freshwater sediments - Value: 22.48 mg/kg dry weight - Type of hazard: Danger to aquatic organisms - Notes:: ECHA

Target: Marine water sediments - Value: 2.248 mg/kg dry weight - Type of hazard: Danger to aquatic organisms - Notes:: ECHA

## Safety Data Sheet according to Reg. (EC) n.1907/2006 (REACH) - SOFT LB 3

Target: Soil - Value: 4.483 mg/kg dry weight - Type of hazard: Danger to terrestrial organisms - Notes: ECHA

formic acid ... % - CAS: 64-18-6

Target: Fresh Water - Value: 2 mg/l

Target: Marine water - Value: 0.2 mg/l

Target: Freshwater sediments - Value: 13.4 mg/kg

Target: Marine water sediments - Value: 1.34 mg/kg

Target: Soil (agricultural) - Value: 1.5 mg/kg

Target: Sewage treatment plant - Value: 7.2 mg/l

propan-2-ol; isopropyl alcohol; isopropanol - CAS: 67-63-0

Target: Fresh Water - Value: 140.9 mg/l

Target: Marine water - Value: 140.9 mg/l

Target: Freshwater sediments - Value: 552 mg/kg

Target: Marine water sediments - Value: 552 mg/kg

Target: Ground compartment - Value: 28 mg/kg

Diphenyl ether - CAS: 101-84-8

Target: Fresh Water - Value: 0.0017 mg/l

Target: Marine water - Value: 0.00017 mg/l

Target: Intermittent release - Value: 0.017 mg/l

Target: Sewage treatment plant - Value: 10 mg/l

Target: Freshwater sediments - Value: 0.345 mg/kg dry weight

Target: Marine water sediments - Value: 0.0345 mg/kg dry weight

Target: Soil - Value: 0.0681 mg/kg dry weight

### 8.2. Exposure controls

#### Eye protection:

Eye glasses with side protection.

#### Protection for skin:

Chemical protection clothing.

#### Protection for hands:

Use protective gloves resistant to chemicals. The choice of hand PPE must be made on the basis of its better resistance to chemical agents, taking into account the results of tests obtained in accordance with EN 374. Because of the great diversity of types, you should follow the instructions of the manufacturers. Suitable materials for short contact (recommended: at least protection index 2, corresponding to > 30 minutes permeation time according to EN 374). Butyl rubber - 0.7 mm thick. Suitable materials for direct and prolonged contact (recommended: protection index 6, corresponding > 460 minutes of permeation time according to EN 374) nitro-caoutchouc (NBR) - 0.4 mm thick.

#### Respiratory protection:

Not needed for normal use.

#### Thermal Hazards:

None

#### Environmental exposure controls:

None

#### Appropriate engineering controls:

None

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Properties	Value	Method:	Notes
Physical state:	Liquid	--	--
Colour:	White	--	--
Odour:	PUNGENT / FRAGRANT	--	--

**Safety Data Sheet according to Reg. (EC) n.1907/2006 (REACH) - SOFT LB 3**

	NOTE CHARACTERISTIC		
Melting point/freezing point:	Not Relevant	--	--
Boiling point or initial boiling point and boiling range:	Not Relevant	--	--
Flammability:	Non-flammable	--	--
Lower and upper explosion limit:	Not Relevant	--	--
Flash point:	Not Relevant	--	--
Auto-ignition temperature:	Not Relevant	--	--
Decomposition temperature:	Not Relevant	--	--
pH:	2,1	--	--
Kinematic viscosity:	N.A.	--	--
Solubility in water:	COMPLETE	--	--
Solubility in oil:	Not Relevant	--	--
Partition coefficient n-octanol/water (log value):	Not Relevant	--	--
Vapour pressure:	Not Relevant	--	--
Density and/or relative density:	1.00 ± 0.05 kg/l	--	--
Relative vapour density:	Not Relevant	--	--
Particle characteristics:			
Particle size:	N.A.	--	--

9.2. Other information

Properties	Value	Method:	Notes
Explosive properties:	ABSENT	--	--
Miscibility:	MISCIBLE	--	--
Oxidizing properties:	ABSENT	--	--

**SECTION 10: Stability and reactivity**

10.1. Reactivity

There are no particular dangers of reaction with other substances under normal conditions of use

10.2. Chemical stability

The product is stable under normal conditions of use and storage.

10.3. Possibility of hazardous reactions

10.4. Conditions to avoid

Avoid contact with alkaline and / or oxidizing substances.

10.5. Incompatible materials

Do not mix with products or caustic alkali, oxidizing agents (sodium hypochlorite), and / or reducing agents. Aluminum, light metals.

Avoid contact with strong oxidizing and reducing agents, strong acids and bases

10.6. Hazardous decomposition products

Under normal conditions of storage and use, are not known hazardous decomposition products.

**Safety Data Sheet according to Reg. (EC) n.1907/2006 (REACH) -  
SOFT LB 3**

**SECTION 11: Toxicological information**

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicological information of the product:

SOFT LB 3

- a) acute toxicity  
Not classified  
No data available for the product
- b) skin corrosion/irritation  
The product is classified: Skin Irrit. 2 H315
- c) serious eye damage/irritation  
The product is classified: Eye Irrit. 2 H319
- d) respiratory or skin sensitisation  
Not classified  
No data available for the product
- e) germ cell mutagenicity  
Not classified  
No data available for the product
- f) carcinogenicity  
Not classified  
No data available for the product
- g) reproductive toxicity  
Not classified  
No data available for the product
- h) STOT-single exposure  
Not classified  
No data available for the product
- i) STOT-repeated exposure  
Not classified  
No data available for the product
- j) aspiration hazard  
Not classified  
No data available for the product

Toxicological information of the main substances found in the product:

Fatty acids, C16-18 (even numbered) and C18 unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized - CAS: 1335202-88-4

- a) acute toxicity:  
Test: LD50 - Route: Oral - Species: Rat > 4480 mg/kg bw - Source: ECHA - No observed adverse effects  
Test: LD50 - Route: Skin - Species: Rat > 2000 mg/kg bw - Source: ECHA - No observed adverse effects
- b) skin corrosion/irritation:  
Test: Skin Irritant - Species: Rabbit - Duration: 4h - Source: ECHA - No irritation of the skin
- c) serious eye damage/irritation:  
Test: Eye Irritant - Species: Rabbit - Source: ECHA - No irritation to eyes
- d) respiratory or skin sensitisation:  
Test: Buehler Test - Route: Skin - Species: Guinea pig - Source: ECHA - Not sensitizing
- e) germ cell mutagenicity:  
Test: 43 - Source: ECHA - Notes: Test system: Salmonella typhimurium  
Metabolic activation: with or without metabolic activation  
Method: OECD Test Guidelines 471  
GLP: yes - No observed adverse effects



**Safety Data Sheet according to Reg. (EC) n.1907/2006 (REACH) -  
SOFT LB 3**

Test: In vitro genotoxicity: analysis of the genetic mutation of mammalian cells. -

Source: ECHA - Notes: Test system: Chinese hamster fibroblasts

Metabolic activation: with or without metabolic activation

Method: OECD Test Guidelines 476

GLP: yes - No observed adverse effects

Test: Chromosomal aberration in vitro - Source: ECHA - Notes: Test system: Chinese hamster lung cells

Metabolic activation: with or without metabolic activation

Method: OECD Test Guidelines 473

GLP: yes - No observed adverse effects

Test: In vivo genotoxicity; micronucleus test - Species: Mouse - Source: ECHA - Notes:

Species: Mouse (male and female)

Strain: Other

Application: oral (fattening)

Doses: 5000 mg/kg bw

Method: OECD Test Guidelines 474

GLP: yes - No observed adverse effects

g) reproductive toxicity:

Test: Other - Species: Rat - Source: ECHA - Notes: Species: Rat, male and female

Strain: Sprague-Dawley

Application: oral (fattening)

Doses: 100, 300, 1000 mg/kg bw/day

Duration of single treatment: 28 d

Frequency of treatment: 1 days / week

General parental toxicity: NOAEL: 1,000 mg/kg body weight - No observed adverse effects

Test: Fertility/initial embryonic development - Species: Rat - Source: ECHA - Notes:

Strain: Sprague-Dawley

Application: oral (fattening)

Doses: 100, 300, 1000 mg/kg bw/day

Duration of single treatment: 36 d

General parental toxicity: NOAEL: 1,000 mg/kg weight  
bodily

General toxicity F1: NOAEL: 1,000 mg/kg body weight

Method: - No observed adverse effects

Test: Analysis of a generation - Species: Rat - Source: ECHA - Notes: Strain: Sprague-Dawley

Application: oral (fattening)

Doses: 100, 300, 1000 mg/kg bw/day

Duration of single treatment: 70 d

General parental toxicity: NOAEL: 1,000 mg/kg weight  
bodily

General toxicity F1: NOAEL: 1,000 mg/kg body weight

Method: - No observed adverse effects

Test: Effects on fetal development - Species: Rat (female) - Source: ECHA - Notes:

Type of test: Prenatal

Strain: Wistar

Application: oral (fattening)

Doses: 0, 50, 250, 1000 mg/kg bw/day

Duration of single treatment: 10 d

General maternal toxicity: NOAEL: 1,000 mg/kg body weight

Teratogenicity: NOAEL: 1,000 mg/kg body weight - No observed adverse effects

i) STOT-repeated exposure:

formic acid ... % - CAS: 64-18-6

a) acute toxicity:

**Safety Data Sheet according to Reg. (EC) n.1907/2006 (REACH) - SOFT LB 3**

- Test: LD50 - Route: Oral - Species: Rat = 730 mg/kg  
Test: LC50 - Route: Inhalation - Species: Rat = 7.85 mg/l - Duration: 4h  
propan-2-ol; isopropyl alcohol; isopropanol - CAS: 67-63-0
- a) acute toxicity:  
Test: LD50 - Route: Oral - Species: Rat = 4396-5500 mg/kg - Source: N.A.  
Test: LC50 - Route: Inhalation - Species: Rat 72.6 mg/l - Duration: 4h - Source: N.A.  
Test: LC50 - Route: Inhalation - Species: Mouse 27.2 mg/l - Duration: 4h - Source: N.A.  
Test: LD50 - Route: Skin - Species: Rabbit = 12870 mg/kg - Source: N.A.
- Diphenyl ether - CAS: 101-84-8
- a) acute toxicity:  
Test: LD50 - Route: Oral - Species: Rat = 2100 mg/kg bw  
Test: LD50 - Route: Skin - Species: Rabbit = 5005 mg/kg bw

## 11.2. Information on other hazards

Endocrine disrupting properties:

No endocrine disruptor substances present in concentration  $\geq 0.1\%$ **SECTION 12: Ecological information**

## 12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment.

SOFT LB 3

Not classified for environmental hazards

Based on available data, the classification criteria are not met

formic acid ... % - CAS: 64-18-6

## a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish = 130 mg/l - Duration h: 96 - Notes: Brachydanio rerio

Endpoint: EC50 - Species: Daphnia = 365 mg/l - Duration h: 48 - Notes: Daphnia magna.

Endpoint: EC50 - Species: Algae and cyanobacteria = 1240 mg/l - Duration h: 72 - Notes: Pseudokirchneriella subcapitata

## b) Aquatic chronic toxicity:

Endpoint: NOEC (21d) - Species: Daphnia &gt; 100 mg/l - Notes: Daphnia magna.

## c) Bacteria toxicity:

Endpoint: EC10 (13d) - Species: Activated sludge = 72 mg/l

propan-2-ol; isopropyl alcohol; isopropanol - CAS: 67-63-0

## a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish = 1400 mg/l - Duration h: 24-96

Endpoint: LC50 - Species: Fish = 1400 mg/l - Duration h: 24-96

Endpoint: LC50 - Species: Crustaceans = 1400 mg/l - Duration h: 48

Endpoint: LC50 - Species: Crustaceans = 11500 mg/l - Duration h: 86

## d) Terrestrial toxicity:

Endpoint: EC50 - Species: Terrestrial plants = 2100 mg/l - Duration h: 72

Diphenyl ether - CAS: 101-84-8

## a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish = 10 mg/l - Duration h: 24

Endpoint: LC50 - Species: Fish = 1-2.4 mg/l - Duration h: 96

Endpoint: LC50 - Species: Fish = 3 mg/l - Duration h: 48

Endpoint: EC50 - Species: Daphnia = 1.7 mg/l - Duration h: 48

## 12.2. Persistence and degradability

None

SOFT LB 3

Biodegradability: The product contains only readily biodegradable surfactants meet the criteria laid down in Regulation detergents EU (EC/648/2004).

**Safety Data Sheet according to Reg. (EC) n.1907/2006 (REACH) - SOFT LB 3**

- formic acid ... % - CAS: 64-18-6
  - Biodegradability: Readily biodegradable - Duration: 28d - %: 100 - Notes: SDS
- propan-2-ol; isopropyl alcohol; isopropanol - CAS: 67-63-0
  - Biodegradability: Persistence
- Diphenyl ether - CAS: 101-84-8
  - Biodegradability: Persistence - %: 100
- 12.3. Bioaccumulative potential
  - formic acid ... % - CAS: 64-18-6
    - Bioaccumulation: Not bioaccumulative
  - propan-2-ol; isopropyl alcohol; isopropanol - CAS: 67-63-0
    - Test: Kow - Partition coefficient 0.05
  - Diphenyl ether - CAS: 101-84-8
    - Bioaccumulation: Bioaccumulation factor - Test: BCF - Bioconcentration factor 196
- 12.4. Mobility in soil
  - formic acid ... % - CAS: 64-18-6
    - Mobility in soil: The substance does not evaporate to the atmosphere from the surface of the water. Absorption to the solid phase of the soil is not predictable
- 12.5. Results of PBT and vPvB assessment
  - vPvB Substances: None - PBT Substances: None
- 12.6. Endocrine disrupting properties
  - No endocrine disruptor substances present in concentration  $\geq$  0.1%
- 12.7. Other adverse effects
  - None

**SECTION 13: Disposal considerations**

- 13.1. Waste treatment methods
  - Recover if possible. In so doing, comply with the local and national regulations currently in force.

**SECTION 14: Transport information**

- 14.1. UN number or ID number
  - Not classified as dangerous in the meaning of transport regulations.
- 14.2. UN proper shipping name
  - N.A.
- 14.3. Transport hazard class(es)
  - N.A.
- 14.4. Packing group
  - N.A.
- 14.5. Environmental hazards
  - ADN-Environmentally hazardous in tank-vessels:
    - N.A.
- 14.6. Special precautions for user
  - N.A.
- 14.7. Maritime transport in bulk according to IMO instruments
  - N.A.

**SECTION 15: Regulatory information**

- 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture
  - Dir. 98/24/EC (Risks related to chemical agents at work)
  - Dir. 2000/39/EC (Occupational exposure limit values)
  - Regulation (EC) n. 1907/2006 (REACH)
  - Regulation (EC) n. 1272/2008 (CLP)
  - Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013

**Safety Data Sheet according to Reg. (EC) n.1907/2006 (REACH) -  
SOFT LB 3**

Regulation (EU) n. 2020/878  
Regulation (EU) n. 286/2011 (ATP 2 CLP)  
Regulation (EU) n. 618/2012 (ATP 3 CLP)  
Regulation (EU) n. 487/2013 (ATP 4 CLP)  
Regulation (EU) n. 944/2013 (ATP 5 CLP)  
Regulation (EU) n. 605/2014 (ATP 6 CLP)  
Regulation (EU) n. 2015/1221 (ATP 7 CLP)  
Regulation (EU) n. 2016/918 (ATP 8 CLP)  
Regulation (EU) n. 2016/1179 (ATP 9 CLP)  
Regulation (EU) n. 2017/776 (ATP 10 CLP)  
Regulation (EU) n. 2018/669 (ATP 11 CLP)  
Regulation (EU) n. 2018/1480 (ATP 13 CLP)  
Regulation (EU) n. 2019/521 (ATP 12 CLP)  
Regulation (EU) n. 2020/217 (ATP 14 CLP)  
Regulation (EU) n. 2020/1182 (ATP 15 CLP)  
Regulation (EU) n. 2021/643 (ATP 16 CLP)  
Regulation (EU) n. 2021/849 (ATP 17 CLP)  
Regulation (EU) n. 2022/692 (ATP 18 CLP)

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

Restrictions related to the product:

Restriction 3

Restriction 40

Restrictions related to the substances contained:

Restriction 75

Where applicable, refer to the following regulatory provisions :

Directive 2012/18/EU (Seveso III)

Regulation (EC) nr 648/2004 (detergents).

Dir. 2004/42/EC (VOC directive)

Provisions related to directive EU 2012/18 (Seveso III):

Seveso III category according to Annex 1, part 1

None

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for the mixture.

**SECTION 16: Other information**

Full text of phrases referred to in Section 3:

H412 Harmful to aquatic life with long lasting effects.

H290 May be corrosive to metals.

H226 Flammable liquid and vapour.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H331 Toxic if inhaled.

H302 Harmful if swallowed.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H225 Highly flammable liquid and vapour.

H336 May cause drowsiness or dizziness.

H411 Toxic to aquatic life with long lasting effects.

H400 Very toxic to aquatic life.

H317 May cause an allergic skin reaction.

**Safety Data Sheet according to Reg. (EC) n.1907/2006 (REACH) - SOFT LB 3**

H312 Harmful in contact with skin.

Hazard class and hazard category	Code	Description
Met. Corr. 1	2.16/1	Substance or mixture corrosive to metals, Category 1
Flam. Liq. 2	2.6/2	Flammable liquid, Category 2
Flam. Liq. 3	2.6/3	Flammable liquid, Category 3
Acute Tox. 3	3.1/3/Inhal	Acute toxicity (inhalation), Category 3
Acute Tox. 4	3.1/4/Dermal	Acute toxicity (dermal), Category 4
Acute Tox. 4	3.1/4/Oral	Acute toxicity (oral), Category 4
Skin Corr. 1A	3.2/1A	Skin corrosion, Category 1A
Skin Corr. 1B	3.2/1B	Skin corrosion, Category 1B
Skin Irrit. 2	3.2/2	Skin irritation, Category 2
Eye Dam. 1	3.3/1	Serious eye damage, Category 1
Eye Irrit. 2	3.3/2	Eye irritation, Category 2
Skin Sens. 1A	3.4.2/1A	Skin Sensitisation, Category 1A
STOT SE 3	3.8/3	Specific target organ toxicity - single exposure, Category 3
Aquatic Acute 1	4.1/A1	Acute aquatic hazard, category 1
Aquatic Chronic 2	4.1/C2	Chronic (long term) aquatic hazard, category 2
Aquatic Chronic 3	4.1/C3	Chronic (long term) aquatic hazard, category 3

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification according to Regulation (EC) Nr. 1272/2008	Classification procedure
Skin Irrit. 2, H315	Calculation method
Eye Irrit. 2, H319	Calculation method

This document was prepared by a competent person who has received appropriate training.

Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

ADR:	European Agreement concerning the International Carriage of Dangerous Goods by Road.
ATE:	Acute Toxicity Estimate
ATEmix:	Acute toxicity Estimate (Mixtures)
CAS:	Chemical Abstracts Service (division of the American Chemical Society).
CLP:	Classification, Labeling, Packaging.
DNEL:	Derived No Effect Level.
EINECS:	European Inventory of Existing Commercial Chemical Substances.
GefStoffVO:	Ordinance on Hazardous Substances, Germany.

## Safety Data Sheet according to Reg. (EC) n.1907/2006 (REACH) - SOFT LB 3

GHS:	Globally Harmonized System of Classification and Labeling of Chemicals.
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWA:	Time-weighted average
WGK:	German Water Hazard Class.