

Safety Data Sheet dated 11/10/2023, version 5 (replaces version 4)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Mixture identification:

Trade name: FOREVER
Trade code: G12-007 / 008

UFI: YYG1-T044-R00T-G64H

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use:

Concentrated fabric softener.

For professional use.

Products categories: PC35 - washing and cleaning products. This category includes water and solvent based products.

Use at industrial sites (IS). Widespread use by professional workers (PW).

Uses advised against:

Do not use for purposes other than those indicated.

1.3. Details of the supplier of the safety data sheet

Company:

G.B.M. ELETTROCHIMICA s.r.l.

Via Fiumicino San Mauro, 120/130 - 47039 – Savignano Sul Rubicone (FC) Italy tel +39 0541 930058

e-mail: gbm@gbmprodottichimici.it web site: www.gbmprodottichimici.it

1.4. Emergency telephone number

+39 0541-930058 (Office Time)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

EC regulation criteria 1272/2008 (CLP)

The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).

Adverse physicochemical, human health and environmental effects:

No other hazards

2.2. Label elements

The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).

Hazard pictograms:

None

Hazard statements:

None

Precautionary statements:

None

Special Provisions:

EUH210 Safety data sheet available on request.

Contains

Isoeugenol: May produce an allergic reaction.

Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one: May produce an allergic reaction.

Special provisions according to Annex XVII of REACH and subsequent amendments:

None



2.3. Other hazards

No PBT, vPvB or endocrine disruptor substances present in concentration >= 0.1% Other Hazards:

No other hazards

SECTION 3: Composition/information on ingredients

3.1. Substances

N.A.

3.2. Mixtures

Ingredients according to EC Detergents Regulation 648/2004:

5-15%: cationic surfactants.

Other comp.: Perfume, linalool, limonene, alpha isomethyl ionone, benzyl alcohol, coumarin, butylphenyl methylpropional, eugenol, hexyl cinnamal, mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one

Hazardous components within the meaning of the CLP regulation and related classification:

Qty	Name	Ident. Numbe	er	Classification
>= 5% - < 10%	Fatty acids, C16-18 (even numbered) and C18 unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized	CAS: EC: REACH No.:	1335202-88-4 931-203-0 01- 2119463889- 16-XXXX	4.1/C3 Aquatic Chronic 3 H412
10 ppm	Isoeugenol	Index number: CAS: EC:	604-094-00-X 97-54-1 202-590-7	3.1/4/Oral Acute Tox. 4 H302 3.4.2/1A Skin Sens. 1A H317 3.1/4/Dermal Acute Tox. 4 H312 3.2/2 Skin Irrit. 2 H315 3.3/2 Eye Irrit. 2 H319 Specific Concentration Limits: C >= 0,01%: Skin Sens. 1A H317
7 ppm	Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one	number: CAS:	613-167-00-5 55965-84-9 611-341-5	3.1/1/Dermal Acute Tox. 1 H310 3.1/3/Oral Acute Tox. 3 H301 3.2/1C Skin Corr. 1C H314 3.3/1 Eye Dam. 1 H318 3.4.2/1A Skin Sens. 1A H317 3.1/2/Inhal Acute Tox. 2 H330 4.1/A1 Aquatic Acute 1 H400



M=100.
1
4.1/C1 Aquatic Chronic 1 H410
M=100.
EUH071
Specific Concentration Limits:
C >= 0,6%: Eye Dam. 1 H318
C >= 0,6%: Skin Corr. 1C H314
0,06% <= C < 0.6%: Skin Irrit. 2
H315
0,06% <= C < 0.6%: Eye Irrit. 2
H319
C >= 0,0015%: Skin Sens. 1A
H317 ´

SECTION 4: First aid measures

4.1. Description of first aid measures

In case of skin contact:

Wash with plenty of water and soap.

In case of eyes contact:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

In case of Ingestion:

Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

4.2. Most important symptoms and effects, both acute and delayed

None

4.3. Indication of any immediate medical attention and special treatment needed

Treatment:

None

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Water.

Carbon dioxide (CO2).

Extinguishing media which must not be used for safety reasons:

None in particular.

5.2. Special hazards arising from the substance or mixture

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

5.3. Advice for firefighters

Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures Wear personal protection equipment.



Remove persons to safety.

See protective measures under point 7 and 8.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

6.3. Methods and material for containment and cleaning up

Wash with plenty of water.

6.4. Reference to other sections

See also section 8 and 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

See also section 8 for recommended protective equipment.

Advice on general occupational hygiene:

Do not eat or drink while working.

7.2. Conditions for safe storage, including any incompatibilities

Store the product only in its original closed containers, in a cool, dry and well-ventilated areas at temperatures below 0 °C and not higher than 40 °C.

Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

7.3. Specific end use(s)

None in particular

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No occupational exposure limit available

DNEL Exposure Limit Values

Fatty acids, C16-18 (even numbered) and C18 unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized - CAS: 1335202-88-4

Worker Professional: 14.8 mg/m3 - Exposure: Human Inhalation - Frequency: Long Term, systemic effects - Endpoint: Repeated dose toxicity - Notes: ECHA

Worker Professional: 105 mg/kg b.w./day - Exposure: Human Dermal - Frequency:

Long Term, systemic effects - Endpoint: Repeated dose toxicity - Notes: ECHA

Consumer: 2.61 mg/m3 - Exposure: Human Inhalation - Frequency: Long Term,

systemic effects - Endpoint: Repeated dose toxicity - Notes: ECHA

Consumer: 37.5 mg/kg b.w./day - Exposure: Human Dermal - Frequency: Long Term,

systemic effects - Endpoint: Repeated dose toxicity - Notes: ECHA

Consumer: 1.5 mg/kg b.w./day - Exposure: Human Oral - Frequency: Long Term,

systemic effects - Endpoint: Repeated dose toxicity - Notes: ECHA

PNEC Exposure Limit Values

Fatty acids, C16-18 (even numbered) and C18 unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized - CAS: 1335202-88-4

Target: Fresh Water - Value: 22 µg/L - Type of hazard: Danger to aquatic organisms -

Notes:: ECHA



Target: Intermittent release (fresh water) - Value: 19.1 μ g/L - Type of hazard: Danger to

aquatic organisms - Notes:: ECHA

Target: Marine water - Value: 2.24 μ g/L - Type of hazard: Danger to aquatic organisms -

Notes:: ECHA

Target: Intermittent release (seawater) - Value: 1.9 µg/L - Type of hazard: Danger to

aquatic organisms - Notes:: ECHA

Target: Sewage treatment plant - Value: 2.96 mg/l - Type of hazard: Danger to aquatic

organisms - Notes:: ECHA

Target: Freshwater sediments - Value: 22.48 mg/kg dry weight - Type of hazard:

Danger to aquatic organisms - Notes:: ECHA

Target: Marine water sediments - Value: 2.248 mg/kg dry weight - Type of hazard:

Danger to aquatic organisms - Notes:: ECHA

Target: Soil - Value: 4.483 mg/kg dry weight - Type of hazard: Danger to terrestrial

organisms - Notes:: ECHA

8.2. Exposure controls

Eye protection:

Not needed for normal use. Anyway, operate according good working practices.

Protection for skin:

No special precaution must be adopted for normal use.

Protection for hands:

Not needed for normal use.

Respiratory protection:

Not needed for normal use.

Thermal Hazards:

None

Environmental exposure controls:

None

Appropriate engineering controls:

. None

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties	Value	Method:	Notes
Physical state:	Liquid		
Colour:	Light pink		
Odour:	CHARACTER		
	ISTIC		
	FRAGRANCE		
	NOTE		
Melting point/freezing	N.D.		
point:			
Boiling point or initial	N.A.		
boiling point and boiling			
range:			
Flammability:	N.A.		
Lower and upper explosion	N.A.		
limit:			
Flash point:	DOES NOT		
	IGNITE/>100		
	° C		
Auto-ignition temperature:	NOT AUTO		
	FLAMMABLE		



Decomposition temperature:	N.A.	
pH:	3,3	
Kinematic viscosity:	N.A.	
Solubility in water:	COMPLETE	
Solubility in oil:	N.A.	
Partition coefficient n-	N.A.	
octanol/water (log value):		
Vapour pressure:	N.A.	
Density and/or relative	0.99 ± 0.05	
density:	kg/l	
Relative vapour density:	N.A.	

Particle characteristics:

9.2. Other information

Properties	Value	Method:	Notes
Explosive properties:	ABSENT		
Miscibility:	MISCIBLE		
Oxidizing properties:	ABSENT		

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions

10.2. Chemical stability

The product is stable under normal conditions of use and storage.

10.3. Possibility of hazardous reactions

None

10.4. Conditions to avoid

Stable under normal conditions.

10.5. Incompatible materials

Avoid contact with strong oxidizing and reducing agents, strong acids and bases

10.6. Hazardous decomposition products

Under normal conditions of storage and use, are not known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 Toxicological information of the product:

FOREVER

a) acute toxicity

Not classified

No data available for the product

b) skin corrosion/irritation

Not classified

No data available for the product

c) serious eye damage/irritation

Not classified

No data available for the product

d) respiratory or skin sensitisation



Not classified

No data available for the product

e) germ cell mutagenicity

Not classified

No data available for the product

f) carcinogenicity

Not classified

No data available for the product

g) reproductive toxicity

Not classified

No data available for the product

h) STOT-single exposure

Not classified

No data available for the product

i) STOT-repeated exposure

Not classified

No data available for the product

j) aspiration hazard

Not classified

No data available for the product

Toxicological information of the main substances found in the product:

Fatty acids, C16-18 (even numbered) and C18 unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized - CAS: 1335202-88-4

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rat > 4480 mg/kg bw - Source: ECHA - No observed adverse effects

Test: LD50 - Route: Skin - Species: Rat > 2000 mg/kg bw - Source: ECHA - No observed adverse effects

b) skin corrosion/irritation:

Test: Skin Irritant - Species: Rabbit - Duration: 4h - Source: ECHA - No irritation of the skin

c) serious eye damage/irritation:

Test: Eye Irritant - Species: Rabbit - Source: ECHA - No irritation to eyes

d) respiratory or skin sensitisation:

Test: Buehler Test - Route: Skin - Species: Guinea pig - Source: ECHA - Not sensitizing e) germ cell mutagenicity:

Test: 43 - Source: ECHA - Notes: Test system: Salmonella typhimurium

Metabolic activation: with or without metabolic activation

Method: OECD Test Guidelines 471

GLP: ves - No observed adverse effects

Test: In vitro genotoxicity: analysis of the genetic mutation of mammalian cells. -

Source: ECHA - Notes: Test system: Chinese hamster fibroblasts

Metabolic activation: with or without metabolic activation

Method: OECD Test Guidelines 476

GLP: yes - No observed adverse effects

Test: Chromosomal aberration in vitro - Source: ECHA - Notes: Test system: Chinese

hamster lung cells

Metabolic activation: with or without metabolic activation

Method: OECD Test Guidelines 473

GLP: yes - No observed adverse effects

Test: In vivo genotoxicity; micronucleus test - Species: Mouse - Source: ECHA - Notes:

Species: Mouse (male and female)

Strain: Other



Application: oral (fattening) Doses: 5000 mg/kg bw

Method: OECD Test Guidelines 474 GLP: yes - No observed adverse effects

g) reproductive toxicity:

Test: Other - Species: Rat - Source: ECHA - Notes: Species: Rat, male and female

Strain: Sprague-Dawley Application: oral (fattening)

Doses: 100, 300, 1000 mg/kg bw/day Duration of single treatment: 28 d Frequency of treatment: 1 days / week

General parental toxicity: NOAEL: 1,000 mg/kg body we - No observed adverse effects Test: Fertility/initial embryonic development - Species: Rat - Source: ECHA - Notes:

Strain: Sprague-Dawley Application: oral (fattening)

Doses: 100, 300, 1000 mg/kg bw/day Duration of single treatment: 36 d

General parental toxicity: NOAEL: 1,000 mg/kg weight

bodily

General toxicity F1: NOAEL: 1,000 mg/kg body weight

Method: - No observed adverse effects

Test: Analysis of a generation - Species: Rat - Source: ECHA - Notes: Strain: Sprague-

Dawley

Application: oral (fattening)

Doses: 100, 300, 1000 mg/kg bw/day Duration of single treatment: 70 d

General parental toxicity: NOAEL: 1,000 mg/kg weight

bodily

General toxicity F1: NOAEL: 1,000 mg/kg body weight

Method: - No observed adverse effects

Test: Effects on fetal development - Species: Rat (female) - Source: ECHA - Notes:

Type of test: Prenatal

Strain: Wistar

Application: oral (fattening)

Doses: 0, 50, 250, 1000 mg/kg bw/day Duration of single treatment: 10 d

General maternal toxicity: NOAEC: 1,000 mg/kg body weight

Teratogenicity: NOAEL: 1,000 mg/kg body weight - No observed adverse effects

i) STOT-repeated exposure:

Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one - CAS: 55965-84-9

a) acute toxicity:

Test: LC50 - Route: Inhalation of dust and fog - Species: Rat = 0.31 mg/l - Duration: 4h - Source: SDS

b) skin corrosion/irritation:

Test: Skin Corrosive Yes - Source: SDS - Causes severe skin burns

c) serious eye damage/irritation:

Test: Eye Corrosive Yes - Source: SDS - Causes serious eye damage

d) respiratory or skin sensitisation:

Test: Škin Sensitization - Route: Skin - Species: Guinea pig Yes - Source: OECD TG 406 - Notes: Maximisation Test; GLP: yes. - May cause sensitisation in contact with skin



Test: Skin Sensitization - Route: Skin - Species: Mouse Yes - Source: OECD TG 429 - Notes: Local lymphonode test (LLNA); GLP: yes. - The product is a skin sensitiser, subcategory 1A.

11.2. Information on other hazards

Endocrine disrupting properties:

No endocrine disruptor substances present in concentration >= 0.1%

SECTION 12: Ecological information

12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment.

FOREVER

Not classified for environmental hazards

Based on available data, the classification criteria are not met

Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one - CAS: 55965-84-9

a) Aquatic acute toxicity:

Endpoint: EC50 - Species: Daphnia = 1.02 mg/l - Duration h: 48 - Notes: Daphnia

magna.

Endpoint: EC50 - Species: Algae = 0.379 mg/l - Duration h: 72 - Notes:

Pseudokirchneriella subcapitata; OECD TG 201

Endpoint: LC50 - Species: Fish = 0.58 mg/l - Duration h: 96 - Notes: Danio rerio.

Endpoint: M Factor (acute) = 100

b) Aquatic chronic toxicity:

Endpoint: EC10 - Species: Algae = 0.188 mg/l - Duration h: 72 - Notes:

Pseudokirchneriella subcapitata; OECD TG 201

Endpoint: M Factor (Chronic) = 100

12.2. Persistence and degradability

None

FOREVER

Biodegradability: The product contains only readily biodegradable surfactants meet the criteria laid down in Regulation detergents EU (EC/648/2004).

Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one - CAS: 55965-84-9

Biodegradability: Non-readily biodegradable

12.3. Bioaccumulative potential

N.A.

12.4. Mobility in soil

N.A.

12.5. Results of PBT and vPvB assessment

vPvB Substances: None - PBT Substances: None

12.6. Endocrine disrupting properties

No endocrine disruptor substances present in concentration >= 0.1%

12.7. Other adverse effects

None

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Recover if possible. In so doing, comply with the local and national regulations currently in force.

SECTION 14: Transport information

G12-007 / 008



14.1. UN number or ID number

Not classified as dangerous in the meaning of transport regulations.

14.2. UN proper shipping name

14.3. Transport hazard class(es)

N.A.

14.4. Packing group

14.5. Environmental hazards

ADN-Environmentally hazardous in tank-vessels:

14.6. Special precautions for user

N.A.

14.7. Maritime transport in bulk according to IMO instruments

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Dir. 98/24/EC (Risks related to chemical agents at work)

Dir. 2000/39/EC (Occupational exposure limit values)

Regulation (EC) n. 1907/2006 (REACH)

Regulation (EC) n. 1272/2008 (CLP)

Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013

Regulation (EU) n. 2020/878

Regulation (EU) n. 286/2011 (ATP 2 CLP)

Regulation (EU) n. 618/2012 (ATP 3 CLP)

Regulation (EU) n. 487/2013 (ATP 4 CLP)

Regulation (EU) n. 944/2013 (ATP 5 CLP) Regulation (EU) n. 605/2014 (ATP 6 CLP)

Regulation (EU) n. 2015/1221 (ATP 7 CLP)

Regulation (EU) n. 2016/918 (ATP 8 CLP)

Regulation (EU) n. 2016/1179 (ATP 9 CLP)

Regulation (EU) n. 2017/776 (ATP 10 CLP)

Regulation (EU) n. 2018/669 (ATP 11 CLP)

Regulation (EU) n. 2018/1480 (ATP 13 CLP)

Regulation (EU) n. 2019/521 (ATP 12 CLP)

Regulation (EU) n. 2020/217 (ATP 14 CLP)

Regulation (EU) n. 2020/1182 (ATP 15 CLP)

Regulation (EU) n. 2021/643 (ATP 16 CLP)

Regulation (EU) n. 2021/849 (ATP 17 CLP)

Regulation (EU) n. 2022/692 (ATP 18 CLP)

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

Restrictions related to the product:

Restriction 40

Restrictions related to the substances contained:

Restriction 75

Where applicable, refer to the following regulatory provisions:

Directive 2012/18/EU (Seveso III)

Regulation (EC) nr 648/2004 (detergents).

Dir. 2004/42/EC (VOC directive)



Provisions related to directive EU 2012/18 (Seveso III): Seveso III category according to Annex 1, part 1 None

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for the mixture.

SECTION 16: Other information

Full text of phrases referred to in Section 3:

H412 Harmful to aquatic life with long lasting effects.

H302 Harmful if swallowed.

H317 May cause an allergic skin reaction.

H312 Harmful in contact with skin.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H310 Fatal in contact with skin.

H301 Toxic if swallowed.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H330 Fatal if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

EUH071 Corrosive to the respiratory tract.

Hazard class and hazard category	Code	Description
Acute Tox. 1	3.1/1/Dermal	Acute toxicity (dermal), Category 1
Acute Tox. 2	3.1/2/Inhal	Acute toxicity (inhalation), Category 2
Acute Tox. 3	3.1/3/Oral	Acute toxicity (oral), Category 3
Acute Tox. 4	3.1/4/Dermal	Acute toxicity (dermal), Category 4
Acute Tox. 4	3.1/4/Oral	Acute toxicity (oral), Category 4
Skin Corr. 1C	3.2/1C	Skin corrosion, Category 1C
Skin Irrit. 2	3.2/2	Skin irritation, Category 2
Eye Dam. 1	3.3/1	Serious eye damage, Category 1
Eye Irrit. 2	3.3/2	Eye irritation, Category 2
Skin Sens. 1A	3.4.2/1A	Skin Sensitisation, Category 1A
Aquatic Acute 1	4.1/A1	Acute aquatic hazard, category 1
Aquatic Chronic 1	4.1/C1	Chronic (long term) aquatic hazard, category 1
Aquatic Chronic 3	4.1/C3	Chronic (long term) aquatic hazard, category 3

This document was prepared by a competent person who has received appropriate training. Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.



ADR: European Agreement concerning the International Carriage of

Dangerous Goods by Road.

ATE: Acute Toxicity Estimate

ATEmix: Acute toxicity Estimate (Mixtures)

CAS: Chemical Abstracts Service (division of the American Chemical

Society).

CLP: Classification, Labeling, Packaging.

DNEL: Derived No Effect Level.

EINECS: European Inventory of Existing Commercial Chemical Substances.

GefStoffVO: Ordinance on Hazardous Substances, Germany.

GHS: Globally Harmonized System of Classification and Labeling of

Chemicals.

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport

Association" (IATA).

ICAO: International Civil Aviation Organization.

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization"

(ICAO).

IMDG: International Maritime Code for Dangerous Goods.
INCI: International Nomenclature of Cosmetic Ingredients.

KSt: Explosion coefficient.

LC50: Lethal concentration, for 50 percent of test population.

LD50: Lethal dose, for 50 percent of test population.

PNEC: Predicted No Effect Concentration.

RID: Regulation Concerning the International Transport of Dangerous Goods

by Rail.

STEL: Short Term Exposure limit.
STOT: Specific Target Organ Toxicity.
TLV: Threshold Limiting Value.
TWA: Time-weighted average
WGK: German Water Hazard Class.