

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 24.02.2025

Version number 7 (replaces version 6)

Revision: 24.02.2025

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- **1.1 Product identifier**
- **Trade name: DRY 1**
- **Article number:** G01-015/016
- **UFI:** PH30-P0S7-X002-SFTE
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
- **Life cycle stages** PW Widespread use by professional workers
- **Product category** PC35 Washing and cleaning products (including solvent based products)
- **Application of the substance / the mixture** Spotting agent for industrial laundry
- **Uses advised against** Any use other than those identified is not recommended.
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
G.B.M. Elettrochimica s.r.l.
via Fiumicino S. Mauro 120/130 - 47039 Savignano sul Rubicone (FC)
tel. 0541/930058 - Fax 0541/810218
www.gbmprodottichimici.it - E-mail gbm@prodottichimici.it
- **Further information obtainable from:** info@gbmprodottichimici.it
- **1.4 Emergency telephone number:**
G.B.M. Elettrochimica srl - Tel. +39 0541 930058 (office hours)

SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**



GHS05 corrosion

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

Acute Tox. 4 H332 Harmful if inhaled.

Skin Irrit. 2 H315 Causes skin irritation.

- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**
The product is classified and labelled according to the CLP regulation.
- **Hazard pictograms**



GHS05 GHS07

- **Signal word** Danger
- **Hazard-determining components of labelling:**
Alcoli, C12-13 ramificati e lineari, etossilati
2-butoxyethanol
diethylhexyl sodium sulfosuccinate
potassium hydroxide
- **Hazard statements**
H302+H332 Harmful if swallowed or if inhaled.
H315 Causes skin irritation.
H318 Causes serious eye damage.

(Contd. on page 2)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 24.02.2025

Version number 7 (replaces version 6)

Revision: 24.02.2025

Trade name: DRY 1

(Contd. of page 1)

Precautionary statements

- P261 Avoid breathing spray.
 P280 Wear protective gloves / eye protection / face protection.
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P312 Call a POISON CENTER/doctor if you feel unwell.
 P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Additional information:**Regulation (EC) No 648/2004 on detergents / Indication of content**

non-ionic surfactants	≥15 - <30%
aliphatic hydrocarbons	≥5 - <15%
anionic surfactants	<5%

2.3 Other hazards**Results of PBT and vPvB assessment**

- PBT:** Not applicable.
- vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

- Description:** Mixture of substances listed below with nonhazardous additions.

Dangerous components:

CAS: 160901-19-9	Alcoli, C12-13 ramificati e lineari, etossilati ⚠ Eye Dam. 1, H318; ⚠ Acute Tox. 4, H302 ATE: LD50 oral: 500 mg/kg	15-25%
CAS: 111-76-2 EINECS: 203-905-0 Index number: 603-014-00-0 Reg.nr.: 01-2119475108-36-xxxx	2-butoxyethanol ⚠ Acute Tox. 3, H331; ⚠ Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319 ATE: LD50 oral: 1,200 mg/kg LC50/4 h inhalative: 3 mg/l	5-15%
CAS: 123-42-2 EINECS: 204-626-7	diacetone alcohol, technical ⚠ Eye Irrit. 2, H319	5-15%
CAS: 90622-57-4 EINECS: 292-459-0	C9-12-Iso-alkanes ⚠ Flam. Liq. 3, H226; ⚠ Asp. Tox. 1, H304	5-15%
CAS: 577-11-7 EINECS: 209-406-4 Reg.nr.: 01-2119491296-29-	diethylhexyl sodium sulfosuccinate ⚠ Eye Dam. 1, H318; ⚠ Skin Irrit. 2, H315	2-5%
CAS: 67-63-0 EINECS: 200-661-7 Index number: 603-117-00-0 Reg.nr.: 01-2119457558-25-	propan-2-ol ⚠ Flam. Liq. 2, H225; ⚠ Eye Irrit. 2, H319; STOT SE 3, H336	2-5%
CAS: 1310-58-3 EINECS: 215-181-3 Index number: 019-002-00-8 Reg.nr.: 01-2119487136-33-XXXX	potassium hydroxide ⚠ Skin Corr. 1A, H314; ⚠ Acute Tox. 4, H302 ATE: LD50 oral: 333 mg/kg Specific concentration limits: Skin Corr. 1A; H314: C ≥ 5% Skin Corr. 1B; H314: 2 % ≤ C < 5 % Skin Irrit. 2; H315: 0.5 % ≤ C < 2 % Eye Irrit. 2; H319: 0.5 % ≤ C < 2 %	1-2%

- Additional information:** For the wording of the listed hazard phrases refer to section 16.

(Contd. on page 3)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 24.02.2025

Version number 7 (replaces version 6)

Revision: 24.02.2025

Trade name: DRY 1

(Contd. of page 2)

SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **General information:**
Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.
Rescue workers must wear the protective equipment described in section 8.2 of this safety data sheet.
- **IF INHALATED:** In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:**
Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:** Call for a doctor immediately.
- **4.2 Most important symptoms and effects, both acute and delayed**
Skin: irritation
Eyes: corrosive, corneal damage, irritation
- **4.3 Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:** CO₂, powder or water spray. Fight larger fires with water spray.
- **For safety reasons unsuitable extinguishing agents:** None in particular
- **5.2 Special hazards arising from the substance or mixture**
No further relevant information available.
- **5.3 Advice for firefighters**
- **Protective equipment:**
Wear personal protective clothing.
See Section 8 for information on personal protection equipment.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**
See Section 8 for information on personal protection equipment.
Wear protective equipment. Keep unprotected persons away.
- **6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to section 13.
Ensure adequate ventilation.
- **6.4 Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**
You should follow the usual precautions for handling chemical products
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
- **Information about fire - and explosion protection:** Keep ignition sources away - Do not smoke.

(Contd. on page 4)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 24.02.2025

Version number 7 (replaces version 6)

Revision: 24.02.2025

Trade name: DRY 1

(Contd. of page 3)

- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Store only in the original receptacle.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep container tightly sealed.
- **7.3 Specific end use(s)** No further data; see section 1.2.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· **Ingredients with limit values that require monitoring at the workplace:**

CAS: 111-76-2 2-butoxyethanol (5-15%)

OEL	Short-term value: 246 mg/m ³ , 50 ppm Long-term value: 98 mg/m ³ , 20 ppm Skin, IOELV
-----	---

CAS: 123-42-2 diacetone alcohol, technical (5-15%)

OEL	Long-term value: 240 mg/m ³ , 50 ppm
-----	---

CAS: 67-63-0 propan-2-ol (2-5%)

OEL	Short-term value: 400 ppm Long-term value: 200 ppm Skin
-----	---

CAS: 1310-58-3 potassium hydroxide (1-2%)

OEL	Short-term value: 2 mg/m ³
-----	---------------------------------------

- **Regulatory information** OEL: 2024 CoP for the Safety, Health and Welfare at Work

· **DNELs**

CAS: 111-76-2 2-butoxyethanol

Oral	Long term, systemic effect	6.3 mg/kg bw/day (general population)
Dermal	Long term, systemic effect	75 mg/kg bw/day (general population) 125 mg/kg bw/day (professional workers)
Inhalative	Short term, local effect	147 mg/m ³ (general population) 246 mg/m ³ (professional workers)
	Short term, systemic effect	426 mg/m ³ (general population) 652 mg/m ³ (professional workers)
	Long term, systemic effect	59 mg/m ³ (general population) 98 mg/m ³ (professional workers)
	Lungo termine, effetti sistemici	67.5 mg/Kg bw/day (professional workers)

CAS: 67-63-0 propan-2-ol

Oral	Long term, systemic effect	26 mg/kg bw/day (general population)
Dermal	Long term, systemic effect	319 mg/kg bw/day (general population) 888 mg/kg bw/day (professional workers)
Inhalative	Long term, systemic effect	89 mg/m ³ (general population) 500 mg/m ³ (professional workers)

CAS: 1310-58-3 potassium hydroxide

Inhalative	Long term, systemic effect	1 mg/m ³ (general population) 1 mg/m ³ (professional workers)
------------	----------------------------	--

· **PNECs**

CAS: 111-76-2 2-butoxyethanol

PNEC	34.6 mg/kg (fresh water sediments) 3.46 mg/kg (marine water sediments)
------	---

(Contd. on page 5)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 24.02.2025

Version number 7 (replaces version 6)

Revision: 24.02.2025

Trade name: DRY 1

(Contd. of page 4)

PNEC	2.33 mg/kg (soil) 8.8 mg/l (freshwater) 9.1 mg/l (intermittent releases) 0.88 mg/l (marine water) 463 mg/l (sewage treatment plant)
CAS: 67-63-0 propan-2-ol	
PNEC	140.9 mg/l (freshwater) 140.9 mg/l (fresh water sediments) 140.9 mg/l (intermittent releases) 140.9 mg/l (marine water) 552 mg/l (marine water sediments) 28 mg/l (soil) 2,251 mg/l (sewage treatment plant)

· **Additional information:** The lists valid during the making were used as basis.

· **8.2 Exposure controls**

· **Appropriate engineering controls** No further data; see section 7.

· **Individual protection measures, such as personal protective equipment**

· **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

· **Respiratory protection:**

Not necessary if room is well-ventilated.

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· **Hand protection**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

Neoprene gloves

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Recommended thickness of the material: ≥ 0.2 mm

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Value for the permeation: Level 2/3

(Contd. on page 6)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 24.02.2025

Version number 7 (replaces version 6)

Revision: 24.02.2025

Trade name: DRY 1

(Contd. of page 5)

- **Eye/face protection**



Tightly sealed goggles

SECTION 9: Physical and chemical properties

- **9.1 Information on basic physical and chemical properties**

- **General Information**

· Physical state	Liquid
· Colour:	Blue
· Odour:	Alcohol-like
· Odour threshold:	Not determined.
· Melting point/freezing point:	Undetermined.
· Boiling point or initial boiling point and boiling range	100 °C
· Flammability	Not applicable.
· Lower and upper explosion limit	
· Lower:	Not determined.
· Upper:	Not determined.
· Flash point:	>60 °C
· pH	Not determined.
· Viscosity:	
· Kinematic viscosity	Not determined.
· Dynamic:	Not determined.
· Solubility	
· water:	Soluble.
· Partition coefficient n-octanol/water (log value)	Not determined.
· Vapour pressure:	Not determined.
· Density and/or relative density	
· Density:	Not determined.
· Relative density	Not determined.
· Vapour density	Not determined.

- **9.2 Other information**

· Appearance:	
· Form:	Liquid
· Important information on protection of health and environment, and on safety.	
· Ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product does not present an explosion hazard.
· Solvent content:	
· Organic solvents:	18.0 %
· Water:	29.5 %
· Solids content:	1.0 %
· Change in condition	
· Evaporation rate	Not determined.

- **Information with regard to physical hazard classes**

· Explosives	Void
· Flammable gases	Void
· Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void

(Contd. on page 7)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 24.02.2025

Version number 7 (replaces version 6)

Revision: 24.02.2025

Trade name: DRY 1

(Contd. of page 6)

· Flammable liquids	Void
· Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
· Self-heating substances and mixtures	Void
· Substances and mixtures, which emit flammable gases in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void
· Desensitised explosives	Void

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No hazardous reactions when stored and handled according to instructions
- **10.2 Chemical stability** The product is stable under normal conditions of use and storage
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** Excessive variations in temperature, below 0 ° C and above 40 ° C
- **10.5 Incompatible materials:** Avoid contact with acids and oxidants.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity**
Harmful if swallowed or if inhaled.

- **LD/LC50 values relevant for classification:**

ATE (Acute Toxicity Estimates)

Oral	LD50	1,527 mg/kg
Inhalative	LC50/4 h	20 mg/l

CAS: 160901-19-9 Alcoli, C12-13 ramificati e lineari, etossilati

Oral	LD50	500 mg/kg (ATE)
------	------	-----------------

CAS: 111-76-2 2-butoxyethanol

Oral	LD50	1,200 mg/kg (ATE)
		1,200 mg/kg (mouse)
		1,776 mg/kg (rat)
Dermal	LD50	mg/kg (rabbit)
		1,000-2,000 mg/kg (rat)
Inhalative	LC50/4 h	3 mg/l (ATE)
		11 mg/l (rat)

CAS: 577-11-7 diethylhexyl sodium sulfosuccinate

Oral	LD50	mg/kg (rat)
------	------	-------------

CAS: 67-63-0 propan-2-ol

Oral	LD50	5,045 mg/kg (rat)
Dermal	LD50	12,800 mg/kg (rabbit)
Inhalative	LC50/4 h	27.2 mg/l (mouse) (Esposizione 4 h)

(Contd. on page 8)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 24.02.2025

Version number 7 (replaces version 6)

Revision: 24.02.2025

Trade name: DRY 1

(Contd. of page 7)

		72.6 mg/l (rat) (Esposizione 4 h)
CAS: 1310-58-3 potassium hydroxide		
Oral	LD50	333 mg/kg (ATE) 333 mg/kg (rat)

- **Primary irritant effect:**
- **Skin corrosion/irritation** Causes skin irritation.
- **Serious eye damage/irritation** Causes serious eye damage.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.
- **11.2 Information on other hazards**
- **Endocrine disrupting properties**
The substance/mixture does not contain components considered to have endocrine disrupting properties according to Article 57(f) of REACH or Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or more;

SECTION 12: Ecological information

· 12.1 Toxicity

· **Aquatic toxicity:**

CAS: 160901-19-9 Alcoli, C12-13 ramificati e lineari, etossilati		
EC50	>10-100 mg/kg (daphnia)	(Esposizione 48 h)
EC50	>10-100 mg/l (algae)	(Esposizione 72 h)
CAS: 67-63-0 propan-2-ol		
CL50	1,400 mg/l (fish)	(Esposizione 96 h)
EC50	2,285 mg/l (daphnia)	(Esposizione 48 h)

- **12.2 Persistence and degradability** Easily biodegradable
- **12.3 Bioaccumulative potential** Non significant accumulation in organisms
- **12.4 Mobility in soil** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Endocrine disrupting properties**
The product does not contain substances with endocrine disrupting properties.
The substance/mixture does not contain components considered to have endocrine disrupting properties according to Article 57(f) of REACH or Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or more;
- **12.7 Other adverse effects**
- **Additional ecological information:**
- **General notes:**
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· **Recommendation**

Do not discard the product or its packaging. Do not empty into drains. Recycle the product. When recycling is not possible, dispose through an authorized company in compliance with the local or national regulations. The assignment of the waste code is the user's responsibility, after determining

(Contd. on page 9)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 24.02.2025

Version number 7 (replaces version 6)

Revision: 24.02.2025

Trade name: DRY 1

(Contd. of page 8)

the properties of the waste and the process generating it and after discussing it with the authorities responsible for disposal.

Do not discard the product or its packaging. Do not empty into drains. Recycle the product. When recycling is not possible, dispose through an authorized company in compliance with the local or national regulations. The assignment of the waste code is the user's responsibility, after determining the properties of the waste and the process generating it and after discussing it with the authorities responsible for disposal.

- **Uncleaned packaging:**

- **Recommendation:**

Empty the containers before disposal. Do not reuse the emptied containers. Send the empty containers to recycling or to an authorized company in compliance with local and national regulations.

- **Recommended cleansing agents:** Water.

SECTION 14: Transport information

- **14.1 UN number or ID number**

- **ADR, ADN, IMDG, IATA** Void

- **14.2 UN proper shipping name**

- **ADR, ADN, IMDG, IATA** Void

- **14.3 Transport hazard class(es)**

- **ADR, ADN, IMDG, IATA**

- **Class** Void

- **14.4 Packing group**

- **ADR, IMDG, IATA** Void

- **14.5 Environmental hazards:**

- **Marine pollutant:** No

- **14.6 Special precautions for user**

Not applicable.

- **14.7 Maritime transport in bulk according to IMO instruments**

Not applicable.

- **Transport/Additional information:**

Not dangerous according to the above specifications.

- **UN "Model Regulation":**

Void

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

Safety data sheet prepared in accordance with Regulation 1907/2006/EC Article 31, Regulation (EU) No 878/2020 as subsequent amendments.

- **Directive 2012/18/EU**

- **Named dangerous substances - ANNEX I** None of the ingredients is listed.

- **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3

- **DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**

None of the ingredients is listed.

(Contd. on page 10)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 24.02.2025

Version number 7 (replaces version 6)

Revision: 24.02.2025

Trade name: DRY 1

(Contd. of page 9)

- **REGULATION (EU) 2019/1148**

- **Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**

None of the ingredients is listed.

- **Annex II - REPORTABLE EXPLOSIVES PRECURSORS**

None of the ingredients is listed.

- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**

H225 Highly flammable liquid and vapour.

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H331 Toxic if inhaled.

H336 May cause drowsiness or dizziness.

- **Classification according to Regulation (EC) No 1272/2008**

As required by Regulation 1272/2008/CE art. 9, the classification of this compound is based on the calculation method taken from the data of the single substances therein and from the experimental data of this compound where available (viewable in sections 9, 11 and 12 in this document).

Procedure used for the classification of the mixture

Acute Tox. 4, H302 - Calculation method

Skin Irrit. 2, H315 - Calculation method

Eye Dam. 1, H318 - Calculation method

Acute Tox. 4, H332 - Calculation method

- **Version number of previous version: 6**

- **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

ATE: Acute toxicity estimate values

Flam. Liq. 2: Flammable liquids – Category 2

Flam. Liq. 3: Flammable liquids – Category 3

Acute Tox. 4: Acute toxicity – Category 4

Acute Tox. 3: Acute toxicity – Category 3

Skin Corr. 1A: Skin corrosion/irritation – Category 1A

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Asp. Tox. 1: Aspiration hazard – Category 1