Revision: 22.05.2025

# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 22.05.2025

Version number 9 (replaces version 8)

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: DRY 4

· Article number: G01-021/022

- · UFI: HH50-A0NC-Y00F-0A6W
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Life cycle stages PW Widespread use by professional workers
- · Product category PC35 Washing and cleaning products (including solvent based products)
- · Application of the substance / the mixture Spotting agent for industrial laundry
- · **Uses advised against** Any use other than those identified is not recommended.
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

G.B.M. Elettrochimica s.r.l.

via Fiumicino S. Mauro 120/130 - 47039 Savignano sul Rubicone (FC)

tel. 0541/930058 - Fax 0541/810218

www.gbmprodottichimici.it - E-mail gbm@prodottichimici.it

- · Further information obtainable from: info@gbmprodottichimici.it
- · 1.4 Emergency telephone number: G.B.M. Elettrochimica srl Tel. +39 0541 930058 (office hours)

## **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS02 flame

Flam. Liq. 3 H226 Flammable liquid and vapour.



GHS05 corrosion

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Acute Tox. 4 H332 Harmful if inhaled.

Skin Irrit. 2 H315 Causes skin irritation.

STOT SE 3 H336 May cause drowsiness or dizziness.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms







GHS02

GHS05

GHS07

· **Signal word** Danger

(Contd. on page 2)

**Printing date 22.05.2025** Version number 9 (replaces version 8) Revision: 22.05.2025

Trade name: DRY 4

(Contd. of page 1)

#### · Hazard-determining components of labelling:

2-butoxyethanol

Benzenesulfonic acid, 4-C10-13-sec-alkylderivs.

n-butyl acetate Ethoxylated alcohol

#### · Hazard statements

H226 Flammable liquid and vapour.

H332 Harmful if inhaled.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H336 May cause drowsiness or dizziness.

#### · Precautionary statements

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No P210

P280 Wear protective gloves / eye protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P312 Call a POISON CENTER/doctor if you feel unwell.

P370+P378 In case of fire: Use CO2, powder or water spray to extinguish. P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

#### · Additional information:

## Regulation (EC) No 648/2004 on detergents / Indication of content

non-ionic surfactants, anionic surfactants

<5%

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment

According to the available data, the product does not contain any PBT substances in a proportion  $\geq 0.1\%$ .

- · **vPvB:** According to the available data, the product does not contain vPvB substances in a proportion  $\geq 0.1\%$ .
- · Determination of endocrine-disrupting properties

The substance/mixture does not contain components considered to have endocrine disrupting properties according to Article 57(f) of REACH or Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or more;

## SECTION 3: Composition/information on ingredients

#### · 3.2 Mixtures

· **Description:** Mixture of substances listed below with nonhazardous additions.

CAS: 123-86-4	n-butyl acetate	25-40%
EINECS: 204-658-1 Index number: 607-025-00-1 Reg.nr.: 01-2119485493-29-	ò Flam. Liq. 3, H226; 🗘 STOT SE 3, H336, EUH066	
CAS: 111-76-2 EINECS: 203-905-0 Index number: 603-014-00-0	2-butoxyethanol Acute Tox. 3, H331; Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319	15-25%
Reg.nr.: 01-2119475108-36-xxxx	ATE: LD50 oral: 1,200 mg/kg LC50/4 h inhalative: 3 mg/l	

Printing date 22.05.2025 Version number 9 (replaces version 8) Revision: 22.05.2025

Trade name: DRY 4

CAS: 107-98-2	1-methoxy-2-propanol	5-15%
EINECS: 203-539-1 Index number: 603-064-00-3 Reg.nr.: 01-2119457435-35	🊸 Flam. Liq. 3, H226; 🗘 STOT SE 3, H336	
CAS: 67-63-0 EINECS: 200-661-7 Index number: 603-117-00-0 Reg.nr.: 01-2119457558-25-	propan-2-ol Flam. Liq. 2, H225; Eye Irrit. 2, H319; STOT SE 3, H336  2-(2-butoxyethoxy)ethanol Eye Irrit. 2, H319	
CAS: 112-34-5 EINECS: 203-961-6 Index number: 603-096-00-8 Reg.nr.: 01-2119456811-38		
CAS: 2052-15-5 EINECS: 218-143-4	Butyl 4-oxopentanoate  Skin Irrit. 2, H315; Eye Irrit. 2, H319	5-15%
CAS: 69011-36-5 Reg.nr.: Esentato	Ethoxylated alcohol  Ethoxylated alcohol  Comparison of the control of the contro	
CAS: 85536-14-7 EINECS: 287-494-3 Reg.nr.: 01-2119490234-40-xxxx	Benzenesulfonic acid, 4-C10-13-sec-alkylderivs.  Skin Corr. 1B, H314; Eye Dam. 1, H318;  Acute Tox. 4, H302; Aquatic Chronic 3, H412  ATE: LD50 oral: 500 mg/kg	2-5%
CAS: 68439-46-3 Reg.nr.: Esentato	C9-11 Alcohol ethoxylate, 5.5EO  ♦ Eye Dam. 1, H318	1-2%

· 4.1 Description of first aid measures

**SECTION 4: First aid measures** 

· General information:

Rescue workers must wear the protective equipment described in section 8.2 of this safety data sheet.

· IF INHALATED: In case of unconsciousness place patient stably in side position for transportation.

· **Additional information:** For the wording of the listed hazard phrases refer to section 16.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

If ingested do not induce vomiting, seek medical assistance showing the safety data sheet or the hazard label

· 4.2 Most important symptoms and effects, both acute and delayed

Eyes: corrosive, corneal damage, irritation

Skin: irritation

 $\cdot$  4.3 Indication of any immediate medical attention and special treatment needed

If any symptoms appear and/or if in doubt, contact a physician and provide this MSDS.

## **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · 5.2 Special hazards arising from the substance or mixture

In case of fire, the following can be released:

(Contd. on page 4)

Printing date 22.05.2025 Version number 9 (replaces version 8) Revision: 22.05.2025

Trade name: DRY 4

(Contd. of page 3)

Carbon monoxide (CO)

Nitrogen oxides (NOx)

Under certain fire conditions, traces of other toxic gases cannot be excluded.

- · 5.3 Advice for firefighters
- · Protective equipment:

As in any fire, wear self-contained breathing apparatus and appropriate protective clothing including gloves and eye / face protection.

See Section 8 for information on personal protection equipment.

· Additional information

Do not inhale gases resulting from explosions and fires. Cool containers with jets of water to prevent decomposition of the product and the development of substances potentially hazardous to health.

#### **SECTION 6: Accidental release measures**

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

See Section 8 for information on personal protection equipment.

· For non-emergency personnel

Provide adequate ventilation and move away from the danger area. For personal protection, see section 8.

· For emergency responders

The intervention personnel must wear appropriate personal protective equipment (overalls, gloves, goggles and dust mask). Keep non-emergency personnel away from the affected area.

- · **6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- $\cdot$  6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Send for recovery or disposal in suitable receptacles.

Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## **SECTION 7: Handling and storage**

· 7.1 Precautions for safe handling

Store in cool, dry place in tightly closed receptacles.

Ensure good ventilation/exhaustion at the workplace.

Avoid contact with eyes and skin.

· Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Emergency cooling must be available in case of nearby fire.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- · Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from oxidising agents.

· Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

(Contd. on page 5)

Printing date 22.05.2025 Version number 9 (replaces version 8) Revision: 22.05.2025

Trade name: DRY 4

· 7.3 Specific end use(s) No further data; see section 1.2.

(Contd. of page 4)

#### SECTION 8: Exposure controls/personal protection

## · 8.1 Control parameters

#### · Ingredients with limit values that require monitoring at the workplace:

#### CAS: 123-86-4 n-butyl acetate (25-40%)

OEL Short-term value: 723 mg/m³, 150 ppm Long-term value: 241 mg/m³, 50 ppm IOELV

#### CAS: 111-76-2 2-butoxyethanol (15-25%)

OEL Short-term value: 246 mg/m³, 50 ppm Long-term value: 98 mg/m³, 20 ppm Skin, IOELV

#### CAS: 107-98-2 1-methoxy-2-propanol (5-15%)

OEL Short-term value: 568 mg/m³, 150 ppm Long-term value: 375 mg/m³, 100 ppm IOELV

#### CAS: 57-55-6 Propylene glycol (5-15%)

OEL Long-term value: 470\* 10\*\* mg/m³, 150\* ppm \*total vapour and particulates \*\*particulates

#### CAS: 67-63-0 propan-2-ol (5-15%)

OEL Short-term value: 400 ppm Long-term value: 200 ppm Skin

## CAS: 112-34-5 2-(2-butoxyethoxy)ethanol (5-15%)

OEL Short-term value: 101.2 mg/m³, 12 ppm Long-term value: 67.5 mg/m³, 10 ppm IOELV

## · Regulatory information OEL: 2024 CoP for the Safety, Health and Welfare at Work

· DNELs  CAS: 123-86-4 n-butyl acetate			
			Inhalative
		480 mg/m3 (professional workers)	
	Long term, local effect	859 mg/m3 (general population)	
		960 mg/m3 (professional workers)	
CAS: 111-76-2 2-butoxyethanol			
Oral	Long term, systemic effect 6.3 mg/kg bw/day (general population)		
Dermal	Long term, systemic effect	75 mg/kg bw/day (general population)	
		125 mg/kg bw/day (professional workers)	
Inhalative	Short term, local effect	147 mg/m3 (general population)	
		246 mg/m3 (professional workers)	
	Short term, systemic effect	426 mg/m3 (general population)	
		652 mg/m3 (professional workers)	
	Long term, systemic effect	59 mg/m3 (general population)	
		/Control on the	

(Contd. on page 6)

Printing date 22.05.2025 Version number 9 (replaces version 8) Revision: 22.05.2025

Trade name: DRY 4

		98 mg/m3 (professional workers)	(Contd. of pa	
	Lumpa tammina affatti sistamisi			
CAC: 107		67.5 mg/Kg bw/day (professional workers)		
	98-2 1-methoxy-2-propanol	EO C manufaction and constants		
Dermal	Long term, local effect	50.6 mg/kg (professional workers)		
	5-6 Propylene glycol	24 // / / / /		
Oral	Long term, systemic effect	24 mg/kg (general population)		
Dermal	Long term, systemic effect	51 mg/kg (general population)		
		84 mg/kg (professional workers)		
innaiative	Long term, systemic effect	70 mg/m3 (general population)		
		238 mg/m3 (professional workers)		
	3-0 propan-2-ol	26 may the bould may be a soul as a solution of		
Oral	Long term, systemic effect	26 mg/kg bw/day (general population)		
Dermal	Long term, systemic effect	319 mg/kg bw/day (general population)		
to be set to	Laws tames and the Control	888 mg/kg bw/day (professional workers)		
Inhalative	Long term, systemic effect	89 mg/m3 (general population)		
		500 mg/m3 (professional workers)		
PNECs				
CAS: 111-	76-2 2-butoxyethanol			
PNEC 34.6	6 mg/kg (fresh water sediments)			
3.40	6 mg/kg (marine water sedimen	ts)		
2.33	3 mg/kg (soil)			
PNEC 8.8	mg/l (freshwater)			
9.1	mg/l (intermittent releases)			
0.88	8 mg/l (marine water)			
463	3 mg/l (sewage treatment plant)			
	98-2 1-methoxy-2-propanol			
	mg/l (freshwater)			
1 m	g/I (marine water)			
	5-6 Propylene glycol			
	? mg/kg (fresh water sediments)			
57.2	2 mg/kg (marine water sedimen	ts)		
50 i	mg/kg (soil)			
PNEC 260	) mg/l (freshwater)	mg/l (freshwater)		
	mg/I (intermittent releases)			
26 mg/l (marine water)				
	000 mg/l (sewage treatment pla	nt)		
	3-0 propan-2-ol			
	).9 mg/l (freshwater)			
	0.9 mg/l (fresh water sediments)			
	0.9 mg/l (intermittent releases)			
140	0.9 mg/l (marine water)			
553	? mg/l (marine water sediments)			

Printing date 22.05.2025 Version number 9 (replaces version 8) Revision: 22.05.2025

Trade name: DRY 4

(Contd. of page 6)

28 mg/l (soil)

2,251 mg/l (sewage treatment plant)

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Hand protection

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation



Protective gloves

#### · Material of gloves

Nitrile rubber, NBR

Neoprene gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### · Penetration time of glove material

Breakthrough time:> = 480 min - Material thickness:> = 0.7 mm

Breakthrough time:> = 60 min - Material thickness: > = 0.5 mm

Breakthrough time:> = 30 min - Material thickness:> = 0.2 mm

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection



Tightly sealed goggles

· Environmental exposure controls Observe safety measures related to the environment; refer to Section 6.2.

#### **SECTION 9: Physical and chemical properties**

- · 9.1 Information on basic physical and chemical properties
- · General Information

Physical state
Colour:
Colourless
Odour:
Solvent-like
Odour threshold:
Not determined.

• **Melting point/freezing point:** Not relevant for product characterisation.

(Contd. on page 8)

Printing date 22.05.2025 Version number 9 (replaces version 8) Revision: 22.05.2025

Trade name: DRY 4

(Contd. of page 7)

 $\cdot$  Boiling point or initial boiling point and boiling range >80  $^{\circ}\text{C}$ 

· Flammability Flammable.

· Lower and upper explosion limit

· **Lower:** Not applicable (the product has no explosive

properties).

· **Upper:** Not applicable (the product has no explosive

properties).

· Flash point: 32  $^{\circ}$ C

• **Auto-ignition temperature:** Not applicable. The product has no flammable

properties.

• **Decomposition temperature:** Not determined as not relevant for product

characterisation.

· **pH** Not determined.

· Viscosity:

Kinematic viscosityDynamic:Not determined.Not determined.

·Solubility

· water: Soluble.

· Partition coefficient n-octanol/water (log value) Not determined.

· **Vapour pressure at 20 °C:** 23 hPa

· Density and/or relative density

• **Density at 20 °C:** 0.95 g/cm<sup>3</sup>

· **Vapour density** Not determined as not relevant for product

characterisation.

· 9.2 Other information

· Appearance:

Form: Liquid

 $\cdot \ \textit{Important information on protection of health and} \\$ 

environment, and on safety.

· **Ignition temperature:** Product is not selfigniting.

• Explosive properties: Product is not explosive. However, formation of

explosive air/vapour mixtures are possible.

· Solvent content:

· Organic solvents: 86.6 %

• **Evaporation rate** Not determined as not relevant for product

characterisation.

## **SECTION 10: Stability and reactivity**

- $\cdot$  10.1 Reactivity No hazardous reactions when stored and handled according to instructions
- $\cdot$  **10.2 Chemical stability** The product is stable under normal conditions of use and storage
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- · 10.4 Conditions to avoid

Excessive temperature variations, below 15 ° C and above 35 ° C

Avoid exposing the product to high temperatures. Keep the product away from open flames. Avoid humidity.

- $\cdot$  **10.5 Incompatible materials:** Avoid contact with acids and oxidants.
- · 10.6 Hazardous decomposition products:

When heated or in case of fire can release gases and vapors which are dangerous to health.

carbon monoxide, carbon dioxide

Nitrogen oxides (NOx)

(Contd. on page 9)

Printing date 22.05.2025 Version number 9 (replaces version 8) Revision: 22.05.2025

Trade name: DRY 4

No dangerous decomposition products known.

(Contd. of page 8)

## **SECTION 11: Toxicological information**

- $\cdot$  11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · **Acute toxicity** Harmful if inhaled.

· LD/LC50 values relevant for classification:			
ATE (Acute	e Toxicity	Estimates)	
Oral	LD50	4,082 mg/kg (ATE)	
Inhalative	LC50/4 h	17.2 mg/l	

Inhalative	LC50/4 h	17.2 mg/l	
CAS: 123-86-4 n-butyl acetate			
Oral	LD50	13,100 mg/kg (rat)	
Dermal	LD50	>5,000 mg/kg (rabbit)	
Inhalative	LC50/4 h	>21 mg/l (rat)	
CAS: 111-7	6-2 2-but	oxyethanol	
Oral	LD50	1,200 mg/kg (ATE)	
		1,200 mg/kg (mouse)	
		1,776 mg/kg (rat)	
		mg/kg (rabbit)	
Dermal	LD50	1,000-2,000 mg/kg (rat)	
Inhalative	LC50/4 h	3 mg/l (ATE)	
		11 mg/l (rat)	
CAS: 107-98-2 1-methoxy-2-propanol			
Oral	LD50	5,660 mg/kg (rat)	
Dermal	LD50	13,000 mg/kg (rabbit)	
Inhalative	LC50/4 h	6 mg/l (rat)	
CAS: 57-55	CAS: 57-55-6 Propylene glycol		
Oral	LD50	20,800 mg/kg (rat)	
Dermal	LD50	20,800 mg/kg (rabbit)	
CAS: 67-63	3-0 propan	n-2-ol	
Oral	LD50	5,045 mg/kg (rat)	
Dermal	LD50	12,800 mg/kg (rabbit)	
Inhalative	LC50/4 h	27.2 mg/l (mouse) (Esposizione 4 h)	
		72.6 mg/l (rat) (Esposizione 4 h)	
CAS: 112-3	34-5 2-(2-b	outoxyethoxy)ethanol	
Oral	LD50	5,660 mg/kg (rat)	
Dermal	LD50	4,000 mg/kg (rabbit)	
CAS: 6901.	1-36-5 Eth	oxylated alcohol	
Oral	LD50	500 mg/kg (ATE)	
		500 mg/kg (rat)	
CAS: 8553	6-14-7 Ber	nzenesulfonic acid, 4-C10-13-sec-alkylderivs.	
Oral	LD50	500 mg/kg (ATE)	

(Contd. on page 10)

Printing date 22.05.2025 Version number 9 (replaces version 8) Revision: 22.05.2025

Trade name: DRY 4

(Contd. of page 9)

#### CAS: 68439-46-3 C9-11 Alcohol ethoxylate, 5.5EO

Oral LD50 >2,000 mg/kg (rat)

- · Primary irritant effect:
- · Skin corrosion/irritation Causes skin irritation.
- · Serious eye damage/irritation Causes serious eye damage.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure May cause drowsiness or dizziness.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · **Aspiration hazard** Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards
- · Endocrine disrupting properties

The substance/mixture does not contain components considered to have endocrine disrupting properties according to Article 57(f) of REACH or Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or more;

#### **SECTION 12: Ecological information**

#### · 12.1 Toxicity

· Aquat	· Aquatic toxicity:				
CAS: 5	7-55-6 Propylene glycol				
CL50	40,613 mg/l (fish)				
EC50	24,200 mg/l (algae)				
NOEC	13,020 mg/l (algae)				
CAS: 6	CAS: 67-63-0 propan-2-ol				
CL50	1,400 mg/l (fish) (Esposzione 96 h)				
EC50	2,285 mg/l (daphnia) (Esposzione 48 h)				
CAS: 1	CAS: 112-34-5 2-(2-butoxyethoxy)ethanol				
EC50	1,170 mg/kg (daphnia)				
CAS: 6	CAS: 69011-36-5 Ethoxylated alcohol				
EC50	1-10 mg/l (algae) (durata 72 h)				
	1-10 mg/l (daphnia) (durata 48 h)				
CAS: 8	CAS: 85536-14-7 Benzenesulfonic acid, 4-C10-13-sec-alkylderivs.				
EC50	EC50 2.9 mg/kg (daphnia)				
CAS: 6	8439-46-3 C9-11 Alcohol ethoxylate, 5.5EO				
CL50	>1-10 mg/l (fish) (Linee Guida 203 OECD - Esposizione 96 h)				
EC50	>1-10 mg/l (algae) (Esposizione 72 h)				
	>1-10 mg/l (daphnia) (Esposizione 48 h)				

#### · 12.2 Persistence and degradability

Easily biodegradable

The surfactants contained in the product correspond to the legislation on the environmental compatibility of detergents and are biodegradable.

- 12.3 Bioaccumulative potential Non significant accumulation in organisms
- · **12.4 Mobility in soil** No further relevant information available.

(Contd. on page 11)

Printing date 22.05.2025 Version number 9 (replaces version 8) Revision: 22.05.2025

Trade name: DRY 4

(Contd. of page 10)

#### · 12.5 Results of PBT and vPvB assessment

PRT:

According to the available data, the product does not contain any PBT substances in a proportion  $\geq 0.1\%$ .

- · **vPvB:** According to the available data, the product does not contain vPvB substances in a proportion  $\geq 0.1\%$ .
- · 12.6 Endocrine disrupting properties

The substance/mixture does not contain components considered to have endocrine disrupting properties according to Article 57(f) of REACH or Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or more;

- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

#### **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation

Do not discard the product or its packaging. Do not empty into drains. Recycle the product. When recycling is not possible, dispose through an authorized company in compliance with the local or national regulations. The assignment of the waste code is the user's responsibility, after determining the properties of the waste and the process generating it and after discussing it with the authorities responsible for disposal.

- · Uncleaned packaging:
- · Recommendation:

Empty the containers before disposal. Do not reuse the emptied containers. Send the empty containers to recycling or to an authorized company in compliance with local and national regulations.

· Recommended cleansing agents: Water.

CECT	CHIAA	T	
SEC 1	M 14.	Transport ii	ntormation
JLCII	UIV IT.	HUUHSPULLII	HOHIIGHOH

· 14.1 UN number or ID number · ADR, IMDG, IATA	UN1993
· 14.2 UN proper shipping name · ADR · IMDG, IATA	1993 FLAMMABLE LIQUID, N.O.S. (BUTYL ACETATES, METHYL ISOBUTYL KETONE) FLAMMABLE LIQUID, N.O.S. (BUTYL ACETATES, METHYL ISOBUTYL KETONE)

- · 14.3 Transport hazard class(es)
- · ADR, IMDG, IATA



· Class 3 Flammable liquids.

· Label

(Contd. on page 12)

Printing date 22.05.2025 Version number 9 (replaces version 8) Revision: 22.05.2025

Trade name: DRY 4

	(Contd. of page
14.4 Packing group	
ADR, IMDG, IATA	III
14.5 Environmental hazards:	
Marine pollutant:	No
14.6 Special precautions for user	Warning: Flammable liquids.
Hazard identification number (Kemler code):	30
EMS Number:	F-E,S-E
Stowage Category	A
14.7 Maritime transport in bulk according to IN	10
instruments	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
Transport category	3
Tunnel restriction code	D/E
·IMDG	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	UN 1993 FLAMMABLE LIQUID, N.O.S. (BUTYL ACETATES,
	METHYL ISOBUTYL KETONE), 3, III

## **SECTION 15: Regulatory information**

- · **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**Safety data sheet prepared in accordance with Regulation 1907/2006/EC Article 31, Regulation (EU) No 878/2020 as subsequent amendments.
- · Directive 2012/18/EU
- · **Named dangerous substances ANNEX I** None of the ingredients is listed.
- · Seveso category P5c FLAMMABLE LIQUIDS
- · Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3, 55
- · DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II

None of the ingredients is listed.

- · REGULATION (EU) 2019/1148
- · Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

(Contd. on page 13)

Printing date 22.05.2025 Version number 9 (replaces version 8) Revision: 22.05.2025

Trade name: DRY 4

(Contd. of page 12)

#### · Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

- H225 Highly flammable liquid and vapour.
- H226 Flammable liquid and vapour.
- H302 Harmful if swallowed.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H331 Toxic if inhaled.
- H336 May cause drowsiness or dizziness.
- H412 Harmful to aquatic life with long lasting effects.

EUH066 Repeated exposure may cause skin dryness or cracking.

#### · Classification according to Regulation (EC) No 1272/2008

As required by Regulation 1272/2008/CE art. 9, the classification of this compound is based on the calculation method taken from the data of the single substances therein and from the experimental data of this compound where available (viewable in sections 9, 11 and 12 in this document).

Procedure used for the classification of the mixture

Flam. Liq. 3, H226 - According to experimental data

Skin Irrit. 2, H315 - Calculation method

Eye Dam. 1, H318 - Calculation method

Acute Tox. 4, H332 - Calculation method

STOT SE 3, H336 - Calculation method

#### · Version number of previous version: 8

#### · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent. Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

ATE: Acute toxicity estimate values

Flam. Liq. 2: Flammable liquids – Category 2

Flam. Liq. 3: Flammable liquids – Category 3

Acute Tox. 4: Acute toxicity - Category 4

Acute Tox. 3: Acute toxicity - Category 3

Skin Corr. 1B: Skin corrosion/irritation - Category 1B

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

(Contd. on page 14)

Printing date 22.05.2025 Version number 9 (replaces version 8) Revision: 22.05.2025

Trade name: DRY 4

(Contd. of page 13)

#### ·Sources

- -Safety data sheets and data sheets of raw material suppliers.
- -ECHA (EU), registered substances database.
- -ECHA (EU), C&L inventory database.
- -ECHA (EU), SVHC candidate substances.
- -IARC (F), International Agency for Research on Cancer.
- -ISS (I), Istituto Superiore di Sanità, Hazardous Substances Database.
- -ACGIH (USA), American Conference of Governmental Industrial Hygienists.
- -INRS (F), Institut National de Recherche et de Sécurité : Les Mélanges Explosifs.
- -Ministry of the Environment (I), Ecotoxicological database on chemicals.
- -IFA (D), Institut für Arbeitsschutz, GESTIS database on hazardous substances.
- -ILO, International Labour Organization, International Chemical Safety Cards database.
- -OECD, Organisation for Economic Co-operation and Development, eChemPortal database.
- -WHO, World Health Organization, Chemical Safety Information database. -TOXNET (USA), Toxicology Data Network database.
- -ATSDRC (USA), Agency for Toxic Substances & Disease Registry database.
- -SCOEL Opinion for crystalline free silica (respirable dust), 2003.
- -SCOEL Opinion for the presence of hexavalent chromium in cement, 2002.

- IE